

RON DESANTIS GOVERNOR 801 N. Broadway Avenue Bartow, FL 33830 JARED W. PERDUE, P.E. SECRETARY

July 9, 2024

Alissa S. Lotane
Director and State Historic Preservation Officer
Florida Division of Historical Resources
Florida Department of State
R.A. Gray Building
500 South Bronough Street
Tallahassee, Florida 32399-0250

Attn: Ms. Alyssa McManus, Transportation Compliance Review Program

RE: Cultural Resource Assessment Survey

Project Development and Environment (PD&E) Study State Road (SR) 70 from County Road (CR) 721

South to CR 599/128th Avenue

Highlands and Okeechobee Counties, Florida

SR 70 Over Kissimmee River Bridge (8HG01236/8OB00336)

Financial Project No.: 450334-1-22-01

Dear Ms. Lotane,

Enclosed please find one copy of the report titled Cultural Resource Assessment Survey Project Development and Environment (PD&E) Study State Road (SR) 70 from County Road (CR) 721South to CR 599/128th Avenue, Highlands and Okeechobee Counties, Florida; SR 70 Over Kissimmee River Bridge (8HG01236/8OB00336). The Florida Department of Transportation (FDOT) District One is conducting a Project Development and Environment (PD&E) Study to address safety conditions on SR 70 from CR 721 S to CR 599/128th Avenue. The study is approximately 8.6-miles long and proposed improvements include the widening of a two-lane facility up to a four-lane, divided facility, and/or the inclusion of operational improvements along the corridor. Travel lane widths may be widened from 10 feet (ft) to 12 ft as part of the project and multimodal facilities will also be considered along the corridor where appropriate. Additional right-of-way (ROW) is expected to accommodate the proposed improvements.

All project alternatives proposed for the SR 70 improvements will involve the replacement of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) which has been determined eligible for listing in the National Register of Historic Places (NRHP) by the State Historic Preservation Officer (SHPO). In order to meet the established schedule for the PD&E deliverables, a discussion was held on July 25, 2023 with representatives from ACI, Scalar, and FDOT District One to develop an approach for cultural resource compliance on the SR 70 PD&E Cultural Resource Assessment Survey (CRAS). The approach would enable the Section 106 process to move forward with consultation to resolve the adverse effect on the NRHP-eligible SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) prior to completing the CRAS for the rest of the project (mainline road realignment, ponds, etc.). The intention is to get consultation to a point where a draft Memorandum of Agreement (MOA) is acceptable to all parties involved but will remain in a draft state until completion of the mainline/ponds CRAS. The draft MOA will be updated as necessary

Ms. Lotane, SHPO FPID No.: 450334-1-22-01 July 9, 2024 Page 2

following the mainline CRAS. In August 2023 a Cultural Resource Coordinator for District One coordinated with the Office of Environmental Management (OEM) and subsequently, with the SHPO regarding this approach and in November 2023 all parties were in agreement. As such, this CRAS is limited to the bridge replacement portion of the PD&E and a full archaeological and historic resources survey of the corridor will be conducted following the identification of corridor alternatives and will be an addendum to this CRAS.

The purpose of this CRAS was to locate and identify any historic resources within the project area of potential effect (APE) at the bridge location and to assess their significance in terms of eligibility for listing in the NRHP. For the purpose of this survey, the historical/architectural APE was limited to the footprint of construction of the SR 70 over Kissimmee River Bridge replacement. The fieldwork was conducted in January 2024.

This CRAS was conducted to comply with the requirements set forth in Section 106 of the National Historic Preservation Act of 1966, as amended, found in 36 CFR Part 800 (Protection of Historic Properties). The study also complies with Chapter 267 of the Florida Statutes and Rule Chapter 1A-46, Florida Administrative Code and Section 267.12, Florida Statutes, Chapter 1A-32. All work was performed in accordance with Part 2, Chapter 8 of FDOT's PD&E Manual (2023 revision), FDOT's Cultural Resources Management Handbook, and the standards stipulated in the Florida Division of Historical Resources' (FDHR) Cultural Resource Management Standards & Operations Manual, Module Three: Guidelines for Use by Historic Preservation Professionals. The Principal Investigator for this project meets the Secretary of the Interior's Standards and Guidelines for Archeology and Historic Preservation (48 FR 44716-42). This study also complies with Public Law 113-287 (Title 54 U.S.C.), which incorporates the provisions of the National Historic Preservation Act of 1966, as amended, and the Archeological and Historic Preservation Act of 1974, as amended.

Historic background research, including a review of the Florida Master Site File (FMSF) and the NRHP databases, indicated that one historic bridge (8HG01236/8OB00336) was previously recorded within the APE. Due to its location on the Okeechobee-Highlands County line, the SR 70 over Kissimmee River Bridge (FDOT Bridge No. 910001) has been assigned a Highlands County FMSF number (8HG01236) and an Okeechobee County FMSF number (8OB00336). The SR 70 over Kissimmee River Bridge (FDOT Bridge No. 910001) is a seven span, concrete beam and girder bridge constructed in 1966 in order to carry SR 70 over the newly channelized Kissimmee River (C-38). The peak of the bridge is equipped with a steel, removable span which accommodates the passing of larger vessels while being more cost effective than a manned, operable span. The bridge (8OB00336/8HG01236) was determined eligible for listing in the NRHP by the SHPO in 2014 under Criterion C in the area of Engineering as an example of a removable span bridge.

The historical/architectural field survey resulted in the identification of two historic resources (8HG01236/8OB00336 and 8HG01650/8OB00489) within the APE. These include the previously recorded concrete beam and girder SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) and the newly identified Kissimmee River (C-38 Canal) (8HG01650/8OB00489), constructed in 1966. The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) has not been significantly altered and appears to remain eligible for individual listing in the NRHP under Criterion C. Although the channelization of the Kissimmee River (C-38 Canal) (8OB00489) is significant within the ecological and developmental history of south and central Florida, the majority of the linear resource is located outside of the APE, and a survey of the entire 69-mile-long channelized river is beyond the scope of this project. In addition, the linear resource has not been previously recorded elsewhere in Okeechobee or Highland Counties. As such, following the guidance

Ms. Lotane, SHPO FPID No.: 450334-1-22-01 July 9, 2024 Page 3

of the *Historic Linear Resource Guide* provided by the FDHR, there is insufficient information to evaluate the 102 ft segment of the Kissimmee River (C-38 Canal) that is contained within the APE (FDHR 2022). Based on the results of this study, it is the opinion of the District that the proposed undertaking will have an *adverse effect* on the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) and have *no adverse effect* on the Kissimmee River (C-38 Canal) (8HG01650/8OB00489).

I respectfully request your concurrence with the findings of the enclosed report.

If you have any questions or need further assistance, please contact me at (863) 519-2625 or Jeffrey.James@dot.state.fl.us.

Sincerely,

Jeffrey James Environmental Manager FDOT, District One

Enclosures: One original copy of the CRAS Report (June 2024), Four (4) FMSF forms, One Completed Survey Log, GIS Shapefiles

The Florida State Historic Preservation Officer finds the attached Cultural Resource Assessment Survey Report complete and sufficient and \(\Delta \) concurs / \(\Delta \) does not concur with the recommendations and findings provided in this cover letter for SHPO/FDHR Project File Number 202402438 . Or, the SHPO finds the attached document contains insufficient information. In accordance with the Programmatic Agreement Among the FHWA, the FDOT, the ACHP, and the SHPO Regarding Implementation of the Federal-Aid Highway Program in Florida (2023 PA), and						
appended materials, if providing concurrence with a finding of No Historic Properties Affected for a						
whole project, or to <i>No Adverse Effect</i> on a specific historic property, SHPO shall presume that FDOT may pursue a <i>de minimis</i> use of the affected historic property in accordance with Section 4(f) as set forth						
within 23 C.F.R. Part 774 and its implementing authorities, as amended, and that their concurrence as the official with jurisdiction (OWJ) over the historic property is granted.						
SHPO Comments:						
Messe Stave 7/17/24						
Alissa S. Lotane, Director Date						
Norida Division of Historical Resources						

TECHNICAL REPORT COVERSHEET

CULTURAL RESOURCE ASSESSMENT SURVEY

SR 70 over Kissimmee River Bridge (8HG01236/8OB00336)

Florida Department of Transportation

District One

State Road 70 PD&E Study

Limits of Project: CR 721 South to CR 559/128th Avenue

Okeechobee and Highlands Counties, Florida

Financial Management Number: 450334-1-22-01

ETDM Number: 14491

Date: June 2024

The environmental review, consultation, and other actions required by applicable federal environmental laws for this project are being, or have been, carried out by the Florida Department of Transportation (FDOT) pursuant to 23 U.S.C. § 327 and a Memorandum of Understanding dated May 26, 2022 and executed by the Federal Highway Administration and FDOT.

CULTURAL RESOURCE ASSESSMENT SURVEY PROJECT DEVELOPMENT AND ENVIRONMENT (PD&E) STUDY STATE ROAD (SR) 70 FROM COUNTY ROAD (CR) 721 SOUTH TO CR 599/128TH AVENUE HIGHLANDS and OKEECHOBEE COUNTIES, FLORIDA

SR 70 OVER KISSIMMEE RIVER BRIDGE (8HG01236/8OB00336)

Financial Project Identification No.: 450334-1-22-01 ETDM No.: 14491

Prepared for:

The Florida Department of Transportation
District One
801 N. Broadway Avenue
Bartow, Florida 33830-3809

Prepared by:

Archaeological Consultants, Inc. 8110 Blaikie Court, Suite A Sarasota, Florida 34240

Marion Almy – Project Manager Kimberly M. Irby – Project Architectural Historian Savannah Y. Finch – Architectural Historian

In Association with:

Scalar Consulting Group, Inc. 5713 Corporate Way, Suite 200 West Palm Beach, Florida 33407

June 2024

EXECUTIVE SUMMARY

The Florida Department of Transportation (FDOT) District One is conducting a Project Development and Environment (PD&E) Study along State Road (SR) 70 from County Road (CR) 721 South to CR 599/128th Avenue in Highlands County and Okeechobee County, Florida. The purpose of this project is to address safety conditions on SR 70 from CR 721 S to CR 599/128th Avenue. Other goals of the project are to maintain important east-west connectivity within the regional transportation network and accommodate freight activity within the area (Efficient Transportation Decision Making [ETDM] 2022). The study is approximately 8.6-miles long and proposed improvements include the widening of a two-lane facility up to a four-lane, divided facility, and/or the inclusion of operational improvements along the corridor. Travel lane widths may be widened from 10 feet (ft) to 12 ft as part of the project and multimodal facilities will also be considered along the corridor where appropriate. Additional right-of-way (ROW) is expected to accommodate the proposed improvements. The project was evaluated through FDOT's ETDM process as project No. 14491. This is a federally funded project.

In addition, all project alternatives for the SR 70 improvements will involve the replacement of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) which has been determined eligible for listing in the National Register of Historic Places (NRHP) by the State Historic Preservation Officer (SHPO). In order to meet the established schedule for the PD&E deliverables, a discussion was held on July 25, 2023 with representatives from ACI, Scalar, and FDOT District One to develop an approach for cultural resource compliance on the SR 70 PD&E Cultural Resource Assessment Survey (CRAS). The approach would enable the Section 106 process to move forward with consultation to resolve the adverse effect on the NRHP-eligible SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) prior to completing the CRAS for the rest of the project (mainline road realignment, ponds, etc.). The intention is to get consultation to a point where a draft Memorandum of Agreement (MOA) is acceptable to all parties involved but will remain in a draft state until completion of the mainline/ponds CRAS. The draft MOA will be updated as necessary following the mainline CRAS. In August 2023 a Cultural Resource Coordinator for District One coordinated with the Office of Environmental Management (OEM) and subsequently, with the SHPO regarding this approach and in November 2023 all parties were in agreement. As such, this CRAS is limited to the bridge replacement portion of the PD&E and a full archaeological and historic resources survey of the corridor will be conducted following the identification of corridor alternatives and will be an addendum to this CRAS.

The purpose of this CRAS was to locate and identify any historic resources within the project area of potential effect (APE) at the bridge location and to assess their significance in terms of eligibility for listing in the NRHP. As defined in 36 Code of Federal Regulations [CFR] Part § 800.16(d), the APE is the "geographic area or areas within which an undertaking may directly or indirectly cause alterations in the character or use of historic properties, if any such properties exist." For the purpose of this survey, the historical/architectural APE was limited to the footprint of construction of the SR 70 over Kissimmee River Bridge replacement. The fieldwork was conducted in January 2024.

All work was conducted to comply with Section 106 of the National Historic Preservation Act of 1966, as amended by Public Law 89-665; the Archaeological and Historic Preservation Act, as amended by Public Law 93-291; Executive Order 11593; and Chapter 267, Florida Statutes (FS). All work was carried out in conformity with Part 2, Chapter 8 ("Archaeological and Historical Resources") of the FDOT's Project Development and Environment (PD&E) Manual (FDOT 2020), and the Florida Division of Historical Resources' (FDHR) standards contained in the Cultural Resource Management Standards and Operational Manual (FDHR 2003), as well as with the provisions contained in the Chapter 1A-46, Florida Administrative Code (FAC). Principal Investigators meet the Secretary of the

Interior's Historic Preservation Professional Qualification Standards (48 FR 44716) for archaeology, history, architecture, architectural history, or historic architecture.

Historic background research, including a review of the Florida Master Site File (FMSF) and the NRHP databases, indicated that one historic bridge (8HG01236/8OB00336) was previously recorded within the APE. Due to its location on the Okeechobee-Highlands County line, the SR 70 over Kissimmee River Bridge (FDOT Bridge No. 910001) has been assigned a Highlands County FMSF number (8HG01236) and an Okeechobee County FMSF number (8OB00336). The SR 70 over Kissimmee River Bridge (FDOT Bridge No. 910001) is a seven span, concrete beam and girder bridge constructed in 1966 in order to carry SR 70 over the newly channelized Kissimmee River (C-38). The peak of the bridge is equipped with a steel, removable span which accommodates the passing of larger vessels while being more cost effective than a manned, operable span. The bridge (8OB00336/8HG01236) was determined eligible for listing in the NRHP by the SHPO in 2014 under Criterion C in the area of Engineering as an example of a removable span bridge. A review of relevant historic United States Geological Survey (USGS) quadrangle maps, historic aerial photographs, and the Highlands County and Okeechobee County property appraiser's website data revealed the potential for one new historic resource 46 years of age or older (constructed in 1978 or earlier) within the APE (McIntyre 2024, Bandi 2024).

Historical/architectural field survey resulted in the identification of two historic resources (8HG01236/8OB00336 and 8HG01650/8OB00489) within the APE. These include the previously recorded concrete beam and girder SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) and the newly identified Kissimmee River (C-38 Canal) (8HG01650/8OB00489), constructed in 1966. The SR 70 over Kissimmee River Bridge was first recorded during the 2010 update of *The Historic Highway* Bridges of Florida and was determined eligible for listing in the NRHP by the SHPO in 2014. The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) has not been significantly altered since this determination and appears to remain eligible for individual listing in the NRHP under Criterion C. Although the channelization of the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) is significant within the ecological and developmental history of south and central Florida, the majority of the linear resource is located outside of the APE, and a survey of the entire 69-mile-long channelized river is beyond the scope of this project. In addition, the linear resource has not been previously recorded elsewhere in Okeechobee or Highland Counties. As such, following the guidance of the Historic Linear Resource Guide provided by the FDHR, there is insufficient information to evaluate the 102 ft segment of the Kissimmee River (C-38 Canal) that is contained within the APE (FDHR 2022). Due to the presence of an NRHP-eligible resource (8HG01236/8OB00336) and a newly identified linear resource that has insufficient information for making an eligibility determination, the Criteria of Adverse Effect, as set forth in 36 CFR Part 800.5(a)(1), was applied to the project.

The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) has not been significantly altered since it was determined eligible for listing in the NRHP by the SHPO and appears to remain eligible for individual listing in the NRHP under Criterion C in the area of Engineering as an example of a removable span bridge. Based on the scope of work, the undertaking will result in the physical destruction, damage, or alteration of all or part of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336). Therefore, it is the opinion of ACI that the proposed undertaking will have an *adverse effect* on the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336).

In addition, following the guidance of the *Historic Linear Resource Guide* provided by the FDHR, the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) within the APE has been evaluated as having insufficient information for making an eligibility determination. Based on the scope of work, the undertaking will include the demolition of the existing SR 70 over Kissimmee River bridge and the construction of a westbound and eastbound bridge with two travel lanes each. The westbound bridge

will replace the existing bridge, while the eastbound bridge will be constructed to the south. Although this will result in the expansion of the existing bridge footprint and alteration to the earthen banking along the linear resource, these alterations are in keeping with the existing conditions of the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) within the APE. Therefore, it is the opinion of ACI that the proposed undertaking will have *no adverse effect* on the Kissimmee River (C-38 Canal) (8HG01650/8OB00489).

TABLE OF CONTENTS

			<u>Page</u>
1.0	INTI	RODUCTION	1-1
	1.1	Project Description	
	1.2	Purpose & Need	
	1.3	Report Purpose	
	1.4	Area of Potential Effects	1-4
2.0	ENV	TRONMENTAL SETTING	2-1
	2.1	Location and Setting	2-1
3.0	CUL	TURAL HISTORY	3-2
	3.1	Territorial and Statehood	
	3.2	Civil War and Aftermath	3-4
	3.3	Twentieth Century	3-5
	3.4	Project Area Specifics	3-8
4.0	RES	EARCH CONSIDERATIONS AND METHODOLOGY	4-1
	4.1	Background Research and Literature Review	4-1
	4.2	Historical/Architectural Considerations	4-2
	4.3	Field Methodology	4-3
5.0	RES	ULTS AND CONCLUSION	5-1
	5.1	Historical/Architectural Results	5-1
	5.2	Conclusions	5-6
6.0	REF	ERENCES CITED	6-1
	–		
	AAP	PPENDICES	

Appendix A Florida Master Site File Forms

Appendix B Survey Log

FIGURES, TABLES, AND PHOTOGRAPHS

Figures		<u>Page</u>
Figure 1.1.	Location of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) within the SR 70 from CR 721 S to CR 599/128 th Avenue Corridor in Highlands County and Okeechobee County, Florida	1-1
Figure 2.1.	Environmental setting of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336)	
Figure 3.1.	1870 plat showing the location of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336)	
Figure 3.2.	1952 Okeechobee NW quad map showing the location of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) and Kissimmee River	
Figure 3.3.	1949 and 1974 aerial photographs of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336)	3-9
Figure 4.1. Figure 5.1.	Previously recorded cultural resources within one mile of the project limits	4-1
Tables		
Table 4.1.	CRAS surveys proximate to the project limits.	4-2
Photograph	<u>ns</u>	
Photo 5.1.	SR 70 over Kissimmee River Bridge (FDOT 910001) (8HG01236/8OB00336), looking northwest.	5-3
Photo 5.2.	SR 70 over Kissimmee River Bridge (FDOT 910001) (8HG01236/8OB00336), looking east	
Photo 5.3.	Kissimmee River (C-38 Canal) (8HG01650/8OB00489), looking northwest	

1.0 INTRODUCTION

The Florida Department of Transportation (FDOT) District One is conducting a Project Development and Environment (PD&E) Study along State Road (SR) 70 from County Road (CR) 721 South to CR 599/128th Avenue in Highlands County and Okeechobee County, Florida (**Figure 1.1**). The purpose of this project is to address safety conditions on SR 70 from CR 721 S to CR 599/128th Avenue. Other goals of the project are to maintain important east-west connectivity within the regional transportation network and accommodate freight activity within the area (Efficient Transportation Decision Making [ETDM 2022]). The project was evaluated through FDOT's ETDM process as project No. 14491. This is a federally funded project.




Figure 1.1. Location of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) within the SR 70 from CR 721 S to CR 599/128th Avenue Corridor in Highlands County and Okeechobee County, Florida.

1.1 Project Description

The study is approximately 8.6-miles long and proposed improvements include the widening of a two-lane facility up to a four-lane, divided facility, and/or the inclusion of operational improvements along the corridor. Travel lane widths may be widened from 10 feet (ft) to 12 ft as part of the project and multimodal facilities will also be considered along the corridor where appropriate. Additional right-of-way (ROW) is expected to accommodate the proposed improvements. All project alternatives for the SR 70 improvements will involve the replacement of the SR 70 over Kissimmee

River Bridge (8HG01236/8OB00336) which has been determined eligible for listing in the National Register of Historic Places (NRHP) by the State Historic Preservation Officer (SHPO).

1.2 Purpose & Need

The primary needs for this project are to improve Traffic Safety Conditions, Emergency Evacuation, and Incident Response Times. According to the FDOT State Safety Office Geographic Information System (SSOGIS) database, a total of 110 crashes were reported along the SR 70 project corridor during the 2015 to 2019 five-year period. Of the 110 crashes along the project corridor, 27 (25%) were front to rear crashes, 22 (20%) were other crashes, and 16 (15%) were angle crashes. The crash rate for this section of SR 70 is 1.56, which is notably higher than the Highlands County crash rate of 0.898 and Okeechobee County crash rate of 0.717 for similar facilities. In addition, the project segment of SR 70 experienced two fatal crashes during the five-year period. Both of these fatal crashes were front to front crashes, one of which involved improper passing and the other involved driving on the wrong side of the roadway.

The project section of SR 70 presently features 10 ft travel lanes and 8 ft shoulders, with 4 ft paved. Guardrails, roadside swales, and fence posts are also in close proximity to the roadway. With a context classification of C2-Rural, the exiting typical section does not meet 2022 FDOT Design Manual standards. The substandard lane and shoulder widths and proximity of guardrails, roadside swales, and fence posts restrict the ability of drivers to avoid hazards within each directional travel lane without veering off the roadway causing direct impacts. According to "Evaluation of the Safety Effectiveness of the Conversion of Two-Lane Roadways to Four-Lane Divided Roadways: Bayesian vs. Empirical Bayes" referenced on the Federal Highway Administration (FHWA) Crash Modification Factors (CMF) Clearinghouse, widening a rural two-lane roadway to a four-lane divided roadway can help decrease fatal and injury crashes by 45 percent. In addition, due to the roadway's current configuration, there is limited space for an emergency service vehicle to pass to respond to a situation during periods of congestion or to accommodate a disabled vehicle to prevent it from obstructing traffic flow. According to the Highlands County Sheriff's Office, one of the two travel lanes (if not both) is often blocked during traffic incidents within the Highlands County portion of the project corridor.

SR 70 is part of the emergency evacuation route network designated by the Florida Division of Emergency Management (FDEM) as well as the network established by Highlands and Okeechobee Counties. This roadway is critical in facilitating traffic during emergency evacuation periods as it connects to other arterials and highways of the state evacuation route network [such as US 27 (on the west) and CR 721 (on the east)] and serves as one of very few major east-west facilities that traverses Highlands and Okeechobee Counties. Under various FDEM evacuation scenarios for different storm events, FDEM noted that SR 70 has some of the longest lasting vehicle queues in the Central Florida region, contributing to prolonged clearance times. Clearance time, comprised of time required for mobilization of the evacuating population, travel time, and the delay time caused by traffic congestion, is one input used by County emergency managers to determine when to recommend an evacuation order and is a key factor pertaining to public safety during an evacuation event. The project is anticipated to address deficiencies of the roadway which may reduce crashes (including fatalities) and lead to enhanced emergency evacuation capabilities and incident response times.

The secondary need for this project is to maintain Important East-West Connectivity within the Regional Transportation Network. SR 70 is one of four corridors connecting Central and South Florida's west and east coasts as it spans from US 41 in Manatee County (west coast) to US 1 in St. Lucie County (east coast). It also connects to several major north-south transportation facilities of the state, including US 41, Interstate 75 (I-75), US 17, US 27, US 441, Florida's Turnpike, I-95, and US 1. With the nearest available parallel east-west facilities being located nearly 10 miles or more to the north and south, SR

70 is integral to facilitating east-west travel within the regional transportation network of Florida's heartland.

The project is intended to complement other SR 70 corridor safety and traffic operational improvements identified in the 2029 - 2045 Strategic Intermodal System (SIS) Long Range Cost Feasible Plan from CR 675 in Manatee County to US 98 in Okeechobee County. In turn, the improvements are anticipated to maintain the corridor's function as a designated SIS highway corridor and important east-west connection for freight and commuters across the Central Florida region and state

Furthermore, the purpose and need of this project is to accommodate Freight Activity. As part of Florida's SIS highway network, SR 70 connects regionally important routes (such as I-75, US 27, Florida's Turnpike, and I-95) as well as serves as a regional through route for long-haul truck volumes and provides access to agricultural/ranching operations, industrial/commercial areas, and other intensive freight activity centers within Central Florida. According to the FDOT District 1 Freight Mobility and Trade Study: Technical Memorandum 5 - Freight Improvements Prioritization, improvements to SR 70 are the #1 long-term priority in Highlands County and the #2 long-term priority of Okeechobee County to facilitate the future growth of freight traffic in the region. Additionally, the Heartland Regional Transportation Planning Organization's (TPO), its committees, and community stakeholders have identified SR 70 as the highest priority transportation facility in the region in need of improvements due to concerns pertaining to safety, freight mobility, and economic growth. The project improvements are aligned with the goals of these plans and SIS objectives of promoting interregional transportation linked to economic development.

1.3 Report Purpose

In order to meet the established schedule for the PD&E deliverables, a discussion was held on July 25, 2023 with representatives from ACI, Scalar, and FDOT District One to develop an approach for cultural resource compliance on the SR 70 PD&E Cultural Resource Assessment Survey (CRAS). The approach would enable the Section 106 process to move forward with consultation to resolve the adverse effect on the NRHP-eligible SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) prior to completing the CRAS for the rest of the project (mainline road realignment, ponds, etc.). The intention is to get consultation to a point where a draft Memorandum of Agreement (MOA) is acceptable to all parties involved but will remain in a draft state until completion of the mainline/ponds CRAS. The draft MOA will be updated as necessary following the mainline CRAS. In August 2023 a Cultural Resource Coordinator for District One coordinated with the Office of Environmental Management (OEM) and subsequently, with the SHPO regarding this approach and in November 2023 all parties were in agreement. As such, this CRAS is limited to the bridge replacement portion of the PD&E and a full archaeological and historic resources survey of the corridor will be conducted following the identification of corridor alternatives and will be an addendum to this CRAS.

The purpose of this CRAS was to locate and identify any historic resources within the project area of potential effect (APE) at the bridge location and to assess their significance in terms of eligibility for listing in the NRHP. All work was conducted to comply with Section 106 of the *National Historic Preservation Act* of 1966, as amended by Public Law 89-665; the *Archaeological and Historic Preservation Act*, as amended by Public Law 93-291; Executive Order 11593; and Chapter 267, *Florida Statutes (FS)*. All work was carried out in conformity with Part 2, Chapter 8 ("Archaeological and Historical Resources") of the FDOT's *Project Development and Environment (PD&E) Manual* (FDOT 2020), and the Florida Division of Historical Resources' (FDHR) standards contained in the *Cultural Resource Management Standards and Operational Manual* (FDHR 2003), as well as with the provisions contained in the Chapter 1A-46, *Florida Administrative Code (FAC)*. Principal Investigators

meet the *Secretary of the Interior's Historic Preservation Professional Qualification Standards* (48 FR 44716) for archaeology, history, architecture, architectural history, or historic architecture.

1.4 Area of Potential Effects

As defined in 36 Code of Federal Regulations [CFR] Part § 800.16(d), the APE is the "geographic area or areas within which an undertaking may directly or indirectly cause alterations in the character or use of historic properties, if any such properties exist." The historical/architectural APE includes the footprint of construction of the SR 70 over Kissimmee River Bridge replacement. The fieldwork was conducted in January 2024. This CRAS is limited to the bridge replacement portion of the PD&E and a full archaeological and historic resources survey of the corridor will be conducted following the identification of corridor alternatives.

2.0 ENVIRONMENTAL SETTING

The purpose of this CRAS was to identify historic resources within the APE at the bridge location; therefore, an archaeological field survey and analysis was not performed as part of this report. A full archaeological and historic resources survey of the corridor will be conducted following the identification of corridor alternatives. At that time, a more detailed Environmental Setting will be prepared that will include the factors such as geology, topography, relative elevation, soils, vegetation, and water are important in determining where archaeological sites are likely located.

2.1 Location and Setting

The SR 70 APE for this CRAS is limited to the footprint of construction for the replacement of the SR 70 over Kissimmee River bridge (8HG01236/8OB00336) which is in Section 25 of Township 37 South, Range 33 East (United States Geological Survey [USGS] Okeechobee NW 1952) (**Figure 2.1**). Extensive disturbance within the project area largely consists of large-scale dredging operations along the Kissimmee River. The segment of the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) within the APE was channelized in circa (ca.) 1966 and is approximately 102 ft long and 375 ft wide with shallow earthen banking covered in vegetation. In addition, a long bridge known as the Harding Memorial Bridge crossed the Kissimmee River until it was later replaced by the existing SR 70 over Kissimmee River Bridge FDOT Bridge No. 910001 in 1966.




Figure 2.1. Environmental setting of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336).

3.0 CULTURAL HISTORY

The local history of the region is divided into four broad periods based initially upon the major governmental powers. The first period, Colonialism, occurred during the exploration and control of Florida by the Spanish and British from around 1513 until 1821. At that time, Florida became a territory of the United States and 21 years later became a State (Territorial and Statehood). The Civil War and Aftermath (1861-1899) period deals with the Civil War, the period of Reconstruction following the war, and the late 1800s, when the transportation systems were dramatically increased and development throughout the state expanded. The Twentieth Century includes sub-periods defined by important historic events such as the World Wars, the Boom of the 1920s, and the Depression. Each of these periods evidenced differential development and utilization of the region, thus effecting the historic site distribution across the land.

3.1 Territorial and Statehood

Because of the First Seminole War and the Adams-Onis Treaty of 1819, Florida became a U.S. territory in 1821. Andrew Jackson, named provisional governor, divided the territory into St. Johns and Escambia Counties. At that time, St. Johns County encompassed all of Florida lying east of the Suwannee River, and Escambia County included the land lying to the west. Settlement was slow and scattered during the early years. In the first territorial census in 1825, some 317 persons reportedly lived in South Florida; by 1830 that number was up to 517 (Tebeau 1980:134).

In exchange for occupancy of an approximately four-million-acre reservation south of Ocala and north of Charlotte Harbor, the Seminoles relinquished their claim to the remainder of the peninsula (Covington 1958; Mahon 1985). The inadequacy of the reservation, the desperate situation of the Seminoles, and the mounting demand of the Americans for their removal, spawned the Indian Removal Act of 1830, and soon produced another conflict. By 1835, the Second Seminole War was underway.

During the war, the U.S. Army dispatched troops to explore and establish forts throughout the Peace and Kissimmee River valleys. Colonel Zachary Taylor led an expedition down the Kissimmee River during the winter of 1837-38 that led to the creation of Forts Gardiner and Basinger. Taylor laid out the stockade on the west side of the Kissimmee River in a small hammock. Captain Monroe and his company were left to finish construction of the fort. A military road extended from Fort Fraser, near present-day Winter Haven, skirted around the Sebring area, and continued on to Fort Center on the western shore of Lake Okeechobee (Sprague 1848). The war lasted until 1842 when the federal government decided to end the conflict by withdrawing troops from Florida. By that time, Fort Basinger had been abandoned, partially fallen, and burned. Some of the battle-weary Seminoles were persuaded to migrate west where the federal government had set aside land for Native American habitation. However, those who were adamant about remaining were allowed to do so with the Peace River serving as the new western boundary of a Seminole reservation (Olausen 1993; Tebeau 1980).

Encouraged by the passage of the Armed Occupation Act in 1842, designed to promote settlement and to protect the Florida frontier, families moved south through the state. The Act made available 200,000 acres outside the already developed regions south of Gainesville to the Peace River, barring coastal lands and those within a two-mile radius of a fort. It stipulated that any family or single man over 18, able to bear arms, could earn title to 160 acres by erecting a habitable dwelling, cultivating at least five acres of land, and living on it for five years (Covington 1961:48). During the nine-month

period the law was in effect, 1184 permits were issued totaling some 189,440 acres (Covington 1961:48).

In 1845, the Union admitted Florida, with Tallahassee as the state capital. Ten years later, Brevard County, which included Okeechobee County, was carved from Mosquito County and the State initiated surveys in the area.

Settlement of this part of the state was hindered by the presence of the Seminole Indians and the settlers asked for additional forts to be built as a means of protection from the Indian. By 1849, there were 12 new or proposed outposts established across the state from Manatee to Fort Capron (Ft. Pierce). These included Fort Arbuckle, on the east side of Lake Arbuckle, Fort Kissimmee, and Fort Drum (Covington 1982; Van Landingham 1978). The latter two forts were constructed under General David E. Twiggs, and the simple road that linked the entire chain of forts was known as Twiggs Trail (Newman et al. 2002).

In December of 1855, the Third Seminole War, or the Billy Bowlegs War erupted as a result of pressure placed on Native Americans remaining in Florida to migrate west (Covington 1982). The war started when Seminole Chief Billy Bowlegs and 30 warriors attacked an army camp killing four soldiers and wounding four others. The attack was in retaliation for damage done by several artillerymen to property belonging to Bowlegs. This hostile action renewed state and federal interest in the final elimination of the Seminoles from Florida. The Third Seminole War degenerated into a series of skirmishes, raids, and ambushes in 1857 and 1858. Military action was not decisive during the war. Therefore, in 1858, the U.S. government resorted to monetary persuasion to induce the remaining Seminoles to emigrate west. A total of 165 Seminoles migrated west, and, on May 8, 1858, the Third Seminole War was officially declared at an end.

The exterior boundaries of Township 37 South, Range 33 East was initially surveyed in 1855 by W.J. Reyes and in 1860 by J. Jackson (State of Florida 1855, 1860). There were no historic features denoted within or adjacent to the APE on the 1870 plat (State of Florida 1870) (**Figure 3.1**). The area around section 25 was described as 2nd rate timber pine (Stanbury 1870). A river crossing was located miles away at this time and as such, it was impossible to cross the Kissimmee River at this location to access sections east of the river.

Cattle ranching served as one of the first important economic activities reported in the region. Mavericks left by early Spanish explorers such as DeSoto and Narvaez provided the source for the herds raised by the mid-eighteenth century "Cowkeeper" Seminoles. As the Seminoles were pushed further south during the Seminole Wars and their cattle were either sold or left to roam, settlers captured or bought the cattle and branded them for their own. By the late 1850s, the cattle industry of southwestern Florida was developing on a significant scale. By 1860, Fort Brooke (Tampa) and Punta Rassa (south of Ft. Myers) were the major cattle shipping points for southwest Florida (Covington 1957). The expansive prairies of the Peace and Kissimmee River Valleys served as the seat of this developing cattle industry (Akerman 1976; Dacy 1940).




Figure 3.1. 1870 plat showing the location of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) (State of Florida 1870).

3.2 <u>Civil War and Aftermath</u>

In 1861, Florida followed South Carolina's lead and seceded from the Union as a prelude to the Civil War. One of the major contributions of the state to the war effort was in the supplying of beef to the Confederacy. The Confederate Government estimated that three-fourths of the cattle that Florida supplied originated from Brevard and Manatee Counties (Shofner 1995:72). The lack of railway transport to other states, the federal embargo, the Union supporters, and the Union troops holding key areas such as Jacksonville and Ft. Myers prevented an influx of finished materials preventing widespread settlement of Florida. The Civil War ended in 1865.

The historic settlements developed along the rivers and creeks, where transportation was easiest. In general, these pioneers were cattlemen who, attracted by the vast grazing lands, settled their families at Basinger and Fort Drum. Among the first cowboys on the prairies in the 1860s were those employed by Jacob Summerlin. Cattle drives, begun in St. Augustine, went around the northwest side of Lake Okeechobee to Fort Thompson, in route to Punta Rassa (Tebeau 1980). Settlement, however, was impeded by the lack of inland transportation.

In 1850, the federal government had turned over to the states for drainage and reclamation all "swamp and overflow land." In 1855, the legislature had established a trust fund, the Florida Internal Improvement Fund, in which state lands were to be held. The Fund had become mired in debt after the

Civil War and, under state law, no land could be sold until the debt was cleared. The Trustees of the fund searched for someone to buy enough state land to pay off the Fund's debt to permit sale of the remaining acreage that it held. In 1881, Hamilton Disston, a prominent Pennsylvania entrepreneur and friend of then Governor William Bloxham, entered into an agreement with the State to purchase four million acres of swamp and overflowed land for one million dollars. In exchange for this, he promised to drain and improve the land. This transaction, which became known as the Disston Purchase, enabled the distribution of large land subsidies to railroad companies, which induced them to begin extensive construction programs for new lines throughout the state. Disston and the railroad companies in turn sold smaller parcels of land to developers and private investors.

In the 1880s, the first railroad lines extended south through central Florida because of the sale of state lands and the Disston Purchase. One of Disston's proposed undertakings was the dredging of a canal that would connect the Caloosahatchee with Lake Okeechobee. He also proposed to lower the level of the lake in an attempt to drain the surrounding land. By 1885, the Atlantic and Gulf Coast Canal and Okeechobee Land Company was permitted to buy the drained land at 25 cents per acre, and in 1894 owned all the land around Lake Okeechobee. Disston died in 1896 and the Disston Land Company was liquidated by court order in order to pay taxes and other debts (Covington 1957:172).

The Florida Southern Railroad extended south from Bartow to Arcadia in early 1886. The railroad bypassed the county seat, Pine Level, opting instead to travel through Arcadia. This led to the relocation of the county seat to Arcadia in November of 1888. With the railroad as a catalyst, the 1880s through the 1910s witnessed a sudden surge of land buying. As the forests were felled, the opened landscape provided rich agricultural land for the cattle and citrus industries. The latter was encouraged by a series of freezes in north Florida in the winter of 1884/1895 that destroyed groves. In 1886, the land proximate to the APE was deeded to the Plant Investment Co. (State of Florida n.d.). During this time, areas were opened for homesteading, and tracts were deeded to early settlers (Olausen 1993). The first permanent residents in present Okeechobee City were Peter Raulerson and his wife Louisiana Chandler Raulerson. They moved from Basinger to Okeechobee in 1896 and built a home there in 1899 (Okeechobee Historical Society n.d.:3). Okeechobee City was originally called Bend and was later called Tantie; in 1911, it received its current name. The city was incorporated in 1915, and was at that time, located within St. Lucie County (Van Landingham 1978).

3.3 Twentieth Century

Prior to 1900, settlement around Lake Okeechobee was scattered. In 1902, Henry H. Hancock settled near the Raulersons and planted an orange grove. Other early settlers to the area included Dr. S. L. Hubbard from Connecticut, who functioned as teacher and doctor for the small settlement, and Peter Raulerson's son, Lewis, who was the first merchant and banker in Okeechobee. In 1905, Raulerson's store was on the edge of Taylor Creek, with his house nearby (Will 1964:127). Fishing, in general, and catfish fishing in particular, has always been one of the major subsistence activities of the Lake Okeechobee area. This enterprise became commercially viable after 1881, when the steam dredges opened the lake to steamboat travel, and ice, which prevented the fish from spoiling, became available. The anglers lived in small fish camps along the lake, generally on the north and east perimeter and along the smaller creeks and sloughs that feed into the lake. The high point of commercial fishing occurred between 1900 and 1910, but by 1917, most of the major fishing outfits and fish houses had moved out of the area due to over-harvesting of fish and declining prices. By 1928, the fishing had returned to its pre-commercial levels, with small fish camps and individuals finding enough fish to maintain themselves and their families (Will 1964:120-126).

After the arrival of steamboats in the 1880s, the second big transportation boom came to the area with the arrival of the railroad in 1915. The Florida East Coast (FEC) Railroad built a branch line from New Smyrna to Tantie, the first train arriving on January 15, 1915. The Model Land Company, land agent for the Florida East Coast Railroad and Flagler's considerable interests, bought a large tract of land from the Consolidated Land Company. The City of Okeechobee was then platted on the site of vacant prairies and filed for record on February 24, 1914 in the St. Lucie County Office of the Clerk of the Circuit Court. This was done under the auspices of the Okeechobee Company, with J. E. Ingraham as President. It was formed by the Model Land Company to facilitate this particular venture. The Okeechobee subdivision was laid out in a grid pattern, with broad avenues interspersed throughout. The company also donated plots of land to several religious denominations.

Okeechobee County was established on August 7, 1917 from parts of St. Lucie, Osceola, and Palm Beach counties. Soon after, the Florida East Coast Railroad linked Okeechobee with Fort Pierce and in 1926 with Belle Glade. This route also made the transport of winter vegetables to eastern markets more feasible. The railroad became an important route for the growing tourist industry, as visitors wanted to enjoy fishing on the lake or hunting in the nearby pine forests. Beginning in 1917, William J. "Fingy" Conners of Buffalo, New York, purchased about 4,000 acres six miles east of Canal Point. Eventually, he acquired the town site of Okeechobee and land around it; in all, he purchased roughly 12,000 acres. To provide access to his land he obtained state authority to construct a toll road. The road which ran from Okeechobee to West Palm Beach opened in 1924, and for the first time connected the county to both coasts of Florida (Valentine and Williamson 1993:73). It continued as a toll road until 1929, when it was turned over to the state (Tebeau 1980:350). It is now known as US 98.

The great Florida Land Boom of the 1920s saw widespread development of towns and highways. Several reasons prompted the boom, including the mild winters, the growing number of tourists, the larger use of the automobile, the completion of roads, the promise by the Florida Legislature never to pass state income or inheritance taxes, and the aggressive advertising campaigns of real estate companies. The growth spurred the division of Desoto County into Highlands, Glades, Charlotte, Hardee, and Desoto Counties in April 1921. Florida State Road 8 – now known as SR 70 – had been constructed through the APE by ca. 1926 and spanned from Haines City through Sebring to Ft. Pierce (FDOT 1926).

In August 1925, the Florida East Coast railway placed an embargo on all freight shipments to South Florida as rail lines and ports in Miami and West Palm Beach became inundated with incoming shipments. Throughout the fall, national newspapers suggested fraud in land sales, and business people throughout the nation complained about the amount of money being transferred to Florida. As 1926 dawned and spring arrived, economic concerns continued to be expressed, and advertisements to sell properties declined in the local newspapers (HPA 1987; Olausen 1993).

By 1927, the economic growth of the early 1920s was halted. To make the situation even worse, two hurricanes hit South Florida in 1926 and 1928. In September 1926, a devastating hurricane swept through South Florida killing hundreds in the Moore Haven area. Refugees again fled north when another hurricane swept through South Florida in September 1928. The 1928 hurricane winds created a tidal wave of water over Lake Okeechobee's shores, killing hundreds. The hurricane not only created a flood of refugees, but also cut utility lines and destroyed citrus crops (Sebring Historical Society 1987). The following year, the Mediterranean fruit fly invaded and paralyzed the citrus industry creating quarantines and inspections that further slowed an already sluggish industry. The stock market crash in October furthered the economic distress.

Between 1930 and 1938, the U.S. Army Corps of Engineers (USACE) started construction of the Herbert Hoover Dike after authorization by the River and Harbor Act of 1930 (USACE 1996). The

Herbert Hoover Dike represents the largest civil engineering project in South Florida designed to control waters in and around Lake Okeechobee and in turn protecting the surrounding communities and agricultural fields from flooding. Development of the dike is comprised of multiple engineering features that include levees, culverts, hurricane gates, pumping stations, and various other water control structures. The original Lake Okeechobee levee system was divided into divisions starting on the southern shore with Numbers 1, 2, 3, and 9 (approximately 68 miles long) and the northern shore was Division 4 (approximately 15.7 miles long) (New South Associates, Inc. 2010).

In 1947, the worst storm since the 1928 hurricane hit the lake and in October of that year, the citizens of Okeechobee formed a committee to seek federal flood control. Between 1948 and 1971 various projects were formulated and implemented for flood control (Will 1990). In 1948, the U.S. Congress authorized the USACE to construct the Central and South Florida Flood Control (C&SF) Project, which led to engineering changes to deepen, straighten, and widen the Kissimmee River waterway. The Kissimmee River was channelized by cutting and dredging a 30-feet deep straightway through the river's meanders (Florida Center for Environmental Studies 2018; Grunwald 2006; McCally 1999; SFWMD n.d.[b]). The 1952 Okeechobee NW quad map shows the naturally occurring segment of the Kissimmee River prior to channelization (USGS 1952) (Figure 3.2).




Figure 3.2. 1952 Okeechobee NW quad map showing the location of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) and Kissimmee River (USGS 1952).

The Flood Control Acts of 1948, 1950, 1954, 1958, 1962, and 1968 led to the further improvements and modifications to the Herbert Hoover Dike throughout the 1950s and 1960s (New South 2010). By the late-1960s the Herbert Hoover Dike was completed following the multiple

expansions and enhancements. In the 1960s, the C&SF modified the native Kissimmee-Okeechobee-Everglades system extensively throughout South Florida, including construction of interceptor canals and water control structures to achieve flood control in the Upper and Lower Kissimmee Basin. Between 1966 and 1971, the Kissimmee River became canal 38 (C-38) after it was further widened and deepened and received multiple water control structures (SFWMD 2010). The C&SF eventually became the SFWMD. The channelization of the Kissimmee River did help with flood control but had a devastating effect on the local ecological system. The Kissimmee River Restoration Project began in 1999 with the backfilling of eight miles of the C-38 canal. Continuous water flow has been established to 24 miles of the meandering river and seasonal rains and flows now inundate the floodplain in the restored areas (SFWMD n.d.[b]). The plan calls for the return flow to 44 miles of the river's historic channel and restoration of about 40 square miles of river/floodplain ecosystem.

From 1960 to the present, dairy farms, beef production, and agriculture pursuits have dominated the county. Okeechobee County, which has 678 farms covering 441,824 acres, is ranked number one in the production of cattle and calves as well as in milk production (USDA 2012). In addition, the Lykes Ranch, located in Glades and Highlands Counties, maintains one of the largest cowcalf operations in the United States (Lykesranch.com n.d.). According to the U.S. Census Bureau (USCB), the population of Okeechobee County in 2020 was 39,644 – a decrease in population of about 300 residents since 2010 (USCB 2023a). Similarly, Highlands County remains sparsely settled and agriculturally based. However, as development continues, the population has gradually increased. Highlands County's population increased from 98,786 in 2010 to 101,235 in 2020 (USCB 2023b).

3.4 **Project Area Specifics**

A review of historic aerial photographs reveals that the Kissimmee River was a large, naturally occurring river in ca. 1949 (USDA 1949) (**Figure 3.3**). At this time, SR 70 was carried over the waterway by a long bridge known as the Harding Memorial Bridge and the main channel of the river was traversed by a movable truss span. In ca. 1962, the bridge remained largely unchanged; however, evidence of large-scale dredging operations was visible along the Kissimmee River (USDA 1962). By ca. 1974, the channelized Kissimmee River (C-38) and the ca. 1966 SR 70 over Kissimmee River Bridge had been constructed and are visible (USDA 1974) (**Figure 3.3**). No significant changes have occurred within the APE since this time.



Figure 3.3. 1949 and 1974 aerial photographs of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) (USDA 1949, 1974).

4.0 RESEARCH CONSIDERATIONS AND METHODOLOGY

4.1 <u>Background Research and Literature Review</u>

A review of archaeological and historical literature, records and other documents and data pertaining to the project area was conducted. The focus of this research was to ascertain the types of cultural resources known in the project area and vicinity, their temporal/cultural affiliations, site location information, and other relevant data. This included a review of cultural resources listed in the NRHP, the Florida Master Site File (FMSF), CRAS reports, published books and articles, unpublished manuscripts, and maps. There have been 14 CRAS projects conducted within one mile of the project limits; these are listed in **Table 4.1**. The FMSF digital data used in this report was reviewed in December 2023. According to FMSF staff, input may be a month or more behind receipt of reports and site files and the GIS data are updated quarterly. Thus, the findings of the background research phase of investigation may not be current with actual work performed in the area.




Figure 4.1. Previously recorded cultural resources within one mile of the project limits.

Table 4.1. CRAS surveys proximate to the project limits.

Survey No.	Title	Reference
4543	Cultural Resource Assessment Survey for Bridge Numbers 090024, 090920, and 090013 along State Road 70 Highway & Bridge Design Project, Highlands County, Florida	Janus Research 1996
17494	An Archaeological Survey of the Brighton Sugarcane Project, Glades and Highlands Counties, Florida	Carr et al. 1997
16476	Cultural Resource Assessment Survey of the Florida Gas Transmission Company Phase VIII Expansion Loop 10 and Extension: Station 27 to Arcadia Greenfield 3: Arcadia to Station 29	Janus Research 2008
16501	A Phase I Cultural Resource Assessment Survey of the Proposed Florida Gas Transmission Company Phase VIII Expansion Project, Station 29 to FPL Martin, Pipeline Corridor, Okeechobee and Martin Counties, Florida	Mueller 2008
16532	Florida Gas Transmission Phase VIII First Addendum Report Related to Report Nos. 2008-07035 and 2008-07036	Coughlin et al. 2009
16938	Florida Gas Transmission Phase VIII Second Addendum Report Related to Report Nos. 2008-07035 and 2008-07036	Coughlin et al. 2010
17003	A Cultural Resource Assessment Reconnaissance Survey of the Highlands Ethanol Site, Highlands County, Florida	Hunter and Schenker 2009a
20419	A Cultural Resource Reconnaissance Survey of the Highlands Ethanol Site, Highlands County, Florida	Hunter and Schenker 2009b
19605	Final Report of Cultural Resource Reconnaissance Survey Kissimmee Oxbow Property, Okeechobee County, Florida	Dale 2009
17547	Cultural Resource Investigations Conducted for the Greenfield 3 (Station 29 to FPL Martin) Kissimmee Variance at M.P. 291.84 in Highlands County, Florida, and Associated with the Planned Florida Gas Transmission Phase VIII Expansion Project. Florida Gas	R. Christopher Goodwin and Associates and Janus Research 2010
18388	Phase I Archaeological Survey of Selected Locations, Feedstock Farm, Highlands Ethanol Project, Highlands County, Florida	Bradley et al. 2011
19607	Trip Report: NRCS Kissimmee WRPs Okeechobee County Cultural Resources Reconnaissance Survey	Dunn 2012
23981	Federal Communication Commission R.S. Webb & Associates No. 12-MAC-438 New 280-Foot Self Supporting Lattice Cellular Tower, County Road 721, Brighton, Highlands County, Florida	Bowen et al. 2012
23055	Cultural Resource Survey, Brighton Valley Water Management Project, Highlands County, Florida	Ambrosino 2015

4.2 <u>Historical/Architectural Considerations</u>

A review of the FMSF and NRHP databases revealed that one historic resource was previously recorded within the APE (8HG01236/8OB00336) (Figure 4.1). The SR 70 over Kissimmee River Bridge was first recorded during the 2010 update of *The Historic Highway Bridges of Florida* conducted by ACI for FDOT and published in 2012 (FDOT 2012; Survey No. 20057). Due to its location on the Okeechobee-Highlands County line, the bridge has been assigned a Highlands County FMSF number (8HG01236) and an Okeechobee County FMSF number (8OB00336). Following the aforementioned survey, the resource (8OB00336/8HG01236) was determined eligible for listing in the NRHP by the SHPO in 2014. A review of relevant historic USGS quadrangle maps, historic aerial photographs, and the Highlands County and Okeechobee County property appraiser's website data revealed the potential for one new historic resource 46 years of age or older (constructed in 1978 or earlier) within the APE (McIntyre 2024, Bandi 2024). Additionally, a review of the Veteran's Grave

Registration compiled in 1940-1941, did not record any graves or cemeteries in the section where the APE is located (Work Progress Administration [WPA] 1941).

4.3 <u>Field Methodology</u>

Historical/architectural field methodology consisted of a field survey of the APE to determine and verify the location of all buildings and other historic resources (i.e. bridges, roads, cemeteries) that are 46 years of age or older (constructed in 1978 or earlier), and to establish if any such resources could be determined eligible for listing in the NRHP. The field survey focused on the assessment of existing conditions for all previously recorded historic resources located within the project APE, and the presence of unrecorded historic resources within the project area. For each property, photographs were taken, and information needed for the completion of FMSF forms was gathered. In addition to architectural descriptions, each historic resource was reviewed to assess style, historic context, condition, and potential NRHP eligibility. Also, informant interviews would have been conducted, if possible, with knowledgeable persons to obtain site-specific building construction dates and/or possible associations with individuals or events significant to local or regional history.

5.0 RESULTS AND CONCLUSION

5.1 <u>Historical/Architectural Results</u>

Background research revealed that one historic resource was previously recorded within the APE (8HG01236/8OB00336). As a result of the historic/architectural field survey, two historic resources (8HG01236/8OB00336 and 8HG01650/8OB00489) were identified within the APE (Figure 5.1). These include the previously recorded concrete beam and girder SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) and the newly identified Kissimmee River (C-38 Canal) (8HG01650/8OB00489), constructed in 1966. The SR 70 over Kissimmee River Bridge was first recorded during the 2010 update of The Historic Highway Bridges of Florida and was determined eligible for listing in the NRHP by the SHPO in 2014. The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) has not been significantly altered since this determination and appears to remain eligible for individual listing in the NRHP under Criterion C in the area of Engineering as an example of a removable span bridge. Although the channelization of the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) is significant within the ecological and developmental history of south and central Florida, the majority of the linear resource is located outside of the APE, and a survey of the entire 69-mile-long channelized river is beyond the scope of this project. In addition, the linear resource has not been previously recorded elsewhere in Okeechobee or Highland Counties. As such, following the guidance of the Historic Linear Resource Guide provided by the FDHR, there is insufficient information to evaluate the 102 ft segment of the Kissimmee River (C-38 Canal) that is contained within the APE (FDHR 2022). Descriptions and photographs of the newly identified and previously recorded resources follow, and copies of the FMSF forms are included in Appendix A. A reasonable and good faith effort was made per the regulations laid out in 36 CFR § 800.4(b)(1) (Advisory Council on Historic Preservation n.d.) to survey all areas of the APE.




Figure 5.1. Location of historic resources within the APE.



Photo 5.1. SR 70 over Kissimmee River Bridge (FDOT 910001) (8HG01236/8OB00336), looking northwest.



Photo 5.2. SR 70 over Kissimmee River Bridge (FDOT 910001) (8HG01236/8OB00336), looking east. Note the removable steel span.

8HG01236/8OB00336: The SR 70 over Kissimmee River Bridge (FDOT 910001) is a seven span, concrete beam and girder bridge constructed in 1966 in order to carry SR 70 over the newly channelized Kissimmee River (C-38) (**Photo 5.1**). The peak of the bridge is equipped with a steel, removable span which accommodates the passing of larger vessels while being more cost effective than a manned, operable span (**Photo 5.2**). The bridge is in Section 25 of Township 37 South, Range 33 East and crosses the county line between Okeechobee County and Highlands County (USGS 1952). The overall dimension of the bridge measures approximately 418 ft long with four approach spans that are

33 ft wide with a roadway width of approximately 24 ft, and three main spans that are 31 ft wide with a roadway width of approximately 22 ft. The approach spans are a concrete beam and girder style superstructure with a concrete deck that has been paved with asphalt, while the main span is a removable steel span. The substructure has solid, sloped abutments comprised of concrete bags. The superstructure is supported by six bents, each comprised of squared concrete headers with two squared concrete piers and footers with a horizontal strut between the piers. Decorative details include concrete post and lintel style parapets with "KISSIMMEE RIVER" stamped onto the northeast corner and "1966" stamped onto the southeast corner of the parapets. Metal guardrails affixed to wooden posts have been installed along the roadway approaching the bridge. In addition, an upright metal sign has been installed adjacent to the northeast corner of the bridge which reads, "BILLY BOWLEGS III BRIDGE / DESIGNATED BY 1969 LEGISLATURE OF FLORIDA."

Removable span bridges include a span that can be completely removed by machinery that is not included as part of the bridge, such as a crane, or can be hinged in an upright position (FDOT 2012). These types of bridges are beneficial at water crossings where large vessels rarely navigate as they do not require staffing and other operational fees that an operable span would require. The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) was constructed in 1966 to accommodate the newly channelized Kissimmee River (C-38). Prior to the channelization, SR 70 was carried over the naturally occurring Kissimmee River by the ca. 1924 Warren G. Harding Memorial Bridge (Orlando Sentinel 1924). Between 1930 and 1938, the U.S. Army Corps of Engineers (USACE) started construction of the Herbert Hoover Dike after authorization by the River and Harbor Act of 1930 (USACE 1996). The Herbert Hoover Dike represents the largest civil engineering project in South Florida designed to control waters in and around Lake Okeechobee and in turn protecting the surrounding communities and agricultural fields from flooding. Development of the dike is comprised of multiple engineering features that include levees, culverts, hurricane gates, pumping stations, and various other water control structures (New South Associates, Inc. 2010). In 1948, the U.S. Congress authorized the USACE to construct the C&SF Project, which led to engineering changes to deepen, straighten, and widen the Kissimmee River waterway. The Kissimmee River was channelized by cutting and dredging a 30 ft deep straightway through the river's meanders (Florida Center for Environmental Studies 2018; Grunwald 2006; McCally 1999; South Florida Water Management District [SFWMD] n.d. [b]). Between 1962 and 1971, the Kissimmee River became the C-38 Canal (C-38) after it was further widened and deepened and received multiple water control structures (SFWMD 2010.). The C&SF eventually became the SFWMD.

The SR 70 over Kissimmee River Bridge was first recorded during the 2010 update of *The Historic Highway Bridges of Florida* conducted by Archaeological Consultants, Inc. (ACI) for the FDOT and published in 2012 (FDOT 2012; Survey No. 20057). Due to its location on the Okeechobee-Highlands County line, the bridge has been assigned a Highlands County FMSF number (8HG01236) and an Okeechobee County FMSF number (8OB00336). Following the aforementioned survey, the resource (8OB00336/8HG01236) was determined eligible for listing in the NRHP by the SHPO in 2014. The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) has not been significantly altered since this determination and appears to remain eligible for individual listing in the NRHP under Criterion C in the area of Engineering as an example of a removable span bridge.



Photo 5.3. Kissimmee River (C-38 Canal) (8HG01650/8OB00489), looking northwest.

8HG01650/8OB00489: The segment of the Kissimmee River (C-38 Canal) within the APE was channelized in ca. 1966 and is approximately 102 ft long and 375 ft wide with shallow earthen banking covered in vegetation (Photo 5.3). This segment is located in Section 25 of Township 37 South, Range 33 East and flows beneath the ca. 1966 SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) which is equipped with wooden channel markers (USGS 1952). Prior to channelization, the Kissimmee River traveled approximately 103 miles throughout Central Florida; however, today the Kissimmee River (C-38 Canal) spans only 69 miles from Lake Kissimmee in the north to Lake Okeechobee in the south (SFWMD 2010). The boundary of Highlands County and Okeechobee County runs along the center of the Kissimmee River in this location, and as such, the resource has been assigned FMSF numbers in both Highlands County (8HG01650) and Okeechobee County (8OB00489).

Between 1930 and 1938, the USACE started construction of the Herbert Hoover Dike after authorization by the River and Harbor Act of 1930 (USACE 1996). The Herbert Hoover Dike represents the largest civil engineering project in South Florida designed to control waters in and around Lake Okeechobee and in turn protecting the surrounding communities and agricultural fields from flooding. Development of the dike is comprised of multiple engineering features that include levees, culverts, hurricane gates, pumping stations, and various other water control structures. The original Lake Okeechobee levee system was divided into divisions starting on the southern shore with Numbers 1, 2, 3, and 9 (approximately 68 miles long) and the northern shore was Division 4 (approximately 15.7 miles long) (New South Associates, Inc. 2010).

In 1948, the U.S. Congress authorized the USACE to construct the C&SF Project. This was prompted following the 1947 hurricane, the worst storm since 1928, to hit the Lake Okeechobee area. Between 1948 and 1971 various projects were formulated and implemented for flood control (Will 1990). The Flood Control Acts of 1948, 1950, 1954, 1958, 1962, and 1968 led to further improvements and modifications to the Lake Okeechobee drainage control system. In the 1960s, the C&SF modified the native Kissimmee-Okeechobee-Everglades system extensively throughout South Florida, including construction of interceptor canals and water control structures to achieve flood control in the Upper and

Lower Kissimmee Basin. Between 1962 and 1971, the Kissimmee River was excavated to create the C-38 Canal (C-38) through widening, a deepened channel, and the construction of multiple water control structures (SFWMD 2010.). The C&SF eventually became the SFWMD.

The channelization of the Kissimmee River did help with flood control but had a devastating effect on the local ecological system. The channelization of the Kissimmee River severely altered the natural environment, resulting in "drainage or obliteration of almost 35,000 acres of floodplain wetlands, elimination of instream and overbank flow, and isolation of the river from its floodplain...[resulting in] changes [to the] physical, chemical, and biological aspects of the ecosystem, reduced diversity, and diminished biotic integrity (SFWMD 2010). The Kissimmee River Restoration Project began in 1999 with the backfilling of eight miles of the C-38 canal. Continuous water flow has been established to 24 miles of the meandering river and seasonal rains and flows now inundate the floodplain in the restored areas (SFWMD n.d.[b]). The plan calls for the return flow to 44 miles of the river's historic channel and restoration of about 40 square miles of river/floodplain ecosystem.

Although the channelization of the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) is significant within the ecological and developmental history of south and central Florida, the majority of the linear resource is located outside of the APE, and a survey of the entire 69-mile-long channelized river is beyond the scope of this project. In addition, the linear resource has not been previously recorded elsewhere in Okeechobee or Highland Counties. As such, following the guidance of the *Historic Linear Resource Guide* provided by the FDHR, there is insufficient information to evaluate the 102-ft segment of the Kissimmee River (C-38 Canal) that is contained within the APE (FDHR 2022).

5.2 Conclusions

As a result of the historical/architectural field survey, one previously recorded resource was identified and re-evaluated (8HG01236/8OB00336) and one linear resource was newly identified and recorded (8HG01650/8OB00489). These include the previously recorded concrete beam and girder SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) and the newly identified Kissimmee River (C-38 Canal) (8HG01650/8OB00489), constructed in 1966. The SR 70 over Kissimmee River Bridge was first recorded during the 2010 update of The Historic Highway Bridges of Florida and was determined eligible for listing in the NRHP by the SHPO in 2014. The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) has not been significantly altered since this determination and appears to remain eligible for individual listing in the NRHP under Criterion C in the area of Engineering as an example of a removable span bridge. Although the channelization of the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) is significant within the ecological and developmental history of south and central Florida, the majority of the linear resource is located outside of the APE, and a survey of the entire 69-mile-long channelized river is beyond the scope of this project. In addition, the linear resource has not been previously recorded elsewhere in Okeechobee or Highland Counties. As such, following the guidance of the Historic Linear Resource Guide provided by the FDHR, there is insufficient information to evaluate the 102-ft segment of the Kissimmee River (C-38 Canal) that is contained within the APE (FDHR 2022). Due to the presence of an NRHP-eligible resource (8HG01236/8OB00336) and a resource that has been evaluated as having insufficient information for making an eligibility determination, the Criteria of Adverse Effect, as set forth in 36 CFR Part 800.5(a)(1), was applied to the project.

The SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) has not been significantly altered since it was determined eligible for listing in the NRHP by the SHPO and appears to remain eligible for individual listing in the NRHP under Criterion C in the area of Engineering as an example

of a removable span bridge. Based on the scope of work, the undertaking will result in the physical destruction, damage, or alteration of all or part of the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336). Therefore, it is the opinion of ACI that the proposed undertaking will have an *adverse effect* on the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336).

In addition, following the guidance of the *Historic Linear Resource Guide* provided by the FDHR, the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) within the APE has been evaluated as having insufficient information for making an eligibility determination. Based on the scope of work, the undertaking will include the demolition of the existing SR 70 over Kissimmee River bridge and the construction of a westbound and eastbound bridge with two travel lanes each. The westbound bridge will replace the existing bridge, while the eastbound bridge will be constructed to the south. Although this will result in the expansion of the existing bridge footprint and alteration to the earthen banking along the linear resource, these alterations are in keeping with the existing conditions of the Kissimmee River (C-38 Canal) (8HG01650/8OB00489) within the APE. Therefore, it is the opinion of ACI that the proposed undertaking will have *no adverse effect* on the Kissimmee River (C-38 Canal) (8HG01650/8OB00489).

6.0 REFERENCES CITED

Advisory Council on Historic Preservation (ACHP)

n.d. *Meeting the "Reasonable and Good Faith" Identification Standard in Section 106 Review.* http://www.achp.gov/docs/reasonable good faith identification.pdf.

Akerman, Joe A.

1976 Florida Cowman: A History of Florida Cattle Raising. Florida Cattlemen's Association, Kissimmee, 4th edition.

Ambrosino, James N.

2015 Cultural Resource Survey, Brighton Valley Water Management Project, Highlands County, Florida. Survey No. 23055.

Bandi, Mickey L.

2024 Okeechobee County Property Appraiser. Accessed January 17, 2024. https://www.okeechobeepa.com/.

Bowen, Neil J., Ligita Kravchuk, and Robert S. Webb

2012 Federal Communication Commission R.S. Webb & Associates No. 12-MAC-438 New 280-Foot Self Supporting Lattice Cellular Tower, County Road 721, Brighton, Highlands County, Florida. Survey No. 23981.

Bradley, Dawn, John Hunter, and Marc E. Wampler

2011 Phase I Archaeological Survey of Selected Locations, Feedstock Farm, Highlands Ethanol Project, Highlands County, Florida. Survey No. 18388.

Carr, Robert S., Daniel Hughes, and James Pepe

An Archaeological Survey of the Brighton Sugarcane Project, Glades and Highlands Counties, Florida. Survey No. 17494.

Coughlan, Sean, Emily E. Crowe, R. Christopher Goodwin

- Florida Gas Transmission Phase VIII First Addendum Report Related to Report Nos. 2008-07035 and 2008-07036. FDHR. Tallahassee. MS #16532.
- Florida Gas Transmission Phase VIII Second Addendum Report Related to Report Nos. 2008-07035 and 2008-07036. FDHR, Tallahassee. MS #16938.

Covington, James W.

- 1957 The Story of Southwestern Florida. Lewis Historical Publishing Company, Inc., New York.
- 1958 Exploring the Ten Thousand Islands: 1838. *Tequesta* 18:7-13.
- 1961 The Armed Occupation Act of 1842. Florida Historical Quarterly 40(1):41-53.
- 1982 The Billy Bowlegs War 1855-1858: The Final Stand of the Seminoles Against the Whites. The Mickler House Publishers, Chuluota.

Dacy, George H.

1940 Four Centuries of Florida Ranching. Britt Printing Co., New York.

Dale, Emily

2009 Final Report of Cultural Resource Reconnaissance Survey Kissimmee Oxbow Property, Okeechobee County, Florida. Survey No. 19605.

Dunn, Shannon

2012 Trip Report: NRCS Kissimmee WRPs Okeechobee County Cultural Resources Reconnaissance Survey. Survey No. 19607.

Efficient Transportation Decision Making (ETDM)

2022 Efficient Transportation Decision Making (ETDM) Project No. 14491. Florida Department of Transportation, Tallahassee.

Florida Center for Environmental Studies

The Kissimmee River Restoration History. Florida Atlantic University, Boca Raton. http://www.ces.fau.edu/riverwoods/kissimmee.php.

Florida Department of Transportation (FDOT)

1926 "Florida Official Transportation Map Archive." Florida Department of Transportation. Accessed January 28, 2024.

https://www.fdot.gov/gis/floridatransportationmaparchive.shtm.

2012 The Historic Highway Bridges of Florida – 2010 Update. ACI, Sarasota. Survey No. 20057.

Florida Division of Historical Resources (FDHR)

- 2003 Cultural Resource Management Standards and Operational Manual. Florida Division of Historical Resources, Tallahassee.
- 2022 Historic Linear Resource Guide Guidance for addressing historic linear resources associated with projects processed under the Programmatic Agreement. FDHR, Tallahassee.

Florida Master Site File (FMSF)

Various site file forms. On file, FDHR, Tallahassee.

Grunwald, Michael

2006 The Swamp: The Everglades, Florida, and the Politics of Paradise. Simon & Schuster, New York.

Historic Property Associates (HPA)

1987 Historic Properties Survey of Sebring, Florida. Historic Property Associates, Inc., St. Augustine. MS# 1398.

Hunter, John A. and Hillori Schenker

2009a A Cultural Resource Assessment Reconnaissance Survey of the Highlands Ethanol Site, Highlands County, Florida. Survey No. 17003.

2009b A Cultural Resource Reconnaissance Survey of the Highlands Ethanol Site, Highlands County, Florida. Survey No. 20419.

Janus Research

1996 Cultural Resource Assessment Survey for Bridge Numbers 090024, 090920, and 090013 along State Road 70 Highway & Bridge Design Project, Highlands County, Florida. Janus Research, Tampa. MAS #4543.

2008 Cultural Resource Assessment Survey of the Florida Gas Transmission Company Phase VIII Expansion Loop 10 and Extension Station 27 to Arcadia Greenfield and to Station 29, Desoto, Highlands, Hillsborough, Polk Counties. Janus Research, Tampa. MS #16476.

Lykesranch.com

n.d. Lykes Ranch. www.lykesranch.com

Mahon, John K.

1985 *History of the Second Seminole War 1835-1842*. University Press of Florida, Gainesville. Revised edition.

McCally, David

1999 The Everglades: An Environmental History. University Press of Florida, Gainesville.

McIntyre, C. Raymond

2024 Highlands County Property Appraiser. Accessed January 17, 2024. https://www.hcpao.org/.

Mueller, Bradley M.

2008 A Phase I Cultural Resource Assessment Survey of the Proposed Florida Gas Transmission Company Phase VIII Expansion Project, Station 29 to FPL Martin, Pipeline Corridor, Okeechobee and Martin Counties, Florida. Survey No. 16501.

Newman, Christine, Melissa Memory, and Brenda Swann

2002 CARL Archaeological Survey of the Kissimmee Prairie Preserve State Park. CARL, BAR, Tallahassee. MS# 7060.

New South Associates, Inc.

2010 Herbert Hoover Dike Documentation and Assessment, Lake Okeechobee, Hendry, Glades, Okeechobee, Martin, and Palm Beach Counties, Florida. New South Associates, Stone Mountain. Survey No. 20620.

Olausen, Steven

1993 Sebring: City on the Circle: A Guide to the City's Historic Architecture. Southern Heritage Press, St. Augustine.

The Orlando Sentinel

"Cars Cross Harding Bridge." *The Orlando Sentinel*, December 14, 1924. Accessed January 16, 2024. https://www.newspapers.com.

R. Christopher Goodwin and Associates and Janus Research

2010 Cultural Resource Investigations Conducted for the Greenfield 3 (Station 29 to FPL Martin) Kissimmee Variance at M.P. 291.84 in Highlands County, Florida, and Associated with the Planned Florida Gas Transmission Phase VIII Expansion Project. Florida Gas. Survey No. 17547.

Sebring Historical Society

1987 *The Seventy-Five Years of Sebring: 1912-1987.* Book Publication Committee, Sebring Historical Society, Sebring, Florida.

Shofner, Jerrell H.

1995 History of Brevard County. Brevard County Historical Commission, Stuart.

South Florida Water Management District (SFWMD)

- n.d. (a) "History." South Florida Water Management District. Accessed November 28, 2022. https://www.sfwmd.gov/who-we-are/history.
- n.d. (b) Kissimmee River. South Florida Water Management District, West Palm Beach. https://www.sfwmd.gov/our-work/kissimmee-river.
- 2010 Canals in South Florida: A Technical Support Document, Appendices A-C. South Florida Water Management District.

Sprague, John T.

1848 *The Origin, Progress, and Conclusion of the Florida War*. University Press of Florida, Gainesville. 1964 Facsimile ed.

Stanbury, J.D.

1870 Field Notes. Volume 214.

State of Florida, Department of Environmental Protection

- n.d. Tract Book. Volume 27. FDEP, Tallahassee.
 - 1855 Field Notes, Township 37 South, Range 33 East.
 - 1860 Field Notes, Township 37 South, Range 33 East.
 - 1870 Plat, Township 37 South, Range 33 East.

Tebeau, Charlton W.

1980 A History of Florida. University of Miami Press, Coral Gables. Revised Edition.

U.S. Army Corps of Engineers (USACE)

1996 Central and Southern Florida Project for Flood Control and Other Purposes, Master Water Control Manual, Lake Okeechobee and Everglades Agricultural Area, Volume 3. US Army Corps of Engineers, Jacksonville District.

U.S. Census Bureau (USCB)

- 2023a "Quick Facts Okeechobee County, Florida." U.S. Census Bureau. Accessed January 30, 2024. https://www.census.gov/quickfacts/fact/table/okeechobeecountyflorida/PST045223
- 2023b "Quick Facts Highlands County, Florida." U.S. Census Bureau. Accessed January 30, 2024. https://www.census.gov/quickfacts/fact/table/highlandscountyflorida/PST045221

U.S. Department of Agriculture (USDA)

- 1949 Aerial Photograph. 3-8-49, BUO-3D-17, 33. PALMM, Gainesville.
- 1954 Aerial Photograph. 1-8-54, DSL-2L-161. PALMM, Gainesville.
- 1962 Aerial Photograph. 4-3-62, DSL-3CC-117. PALMM, Gainesville.
- 1974 Aerial Photograph. 2-12-74, 12043-174-17, 66. PALMM, Gainesville.
- 2012 Census of Agriculture: Okeechobee County, Florida.

United States Geological Survey (USGS)

1952 Okeechobee NW, Fla. Photorevised 1972.

Valentine, Twila and Betty Chandler Williamson

1993 Strolling Down Country Roads: Okeechobee County. The Donning Co., Publishers, Virginia Beach.

Van Landingham, Kyle S.

1978 History of Okeechobee County. Privately published by Kyle S. Van Landingham, Ft. Pierce.

Will, Lawrence

1964 A Cracker History of Okeechobee. The Great Outdoors Publishing Co., St. Petersburg.
 1990 Okeechobee Hurricane and the Hoover Dike. The Great Outdoors Publishing Co., The Glades Historical Society, Belle Glade. 3rd.

Work Progress Administration (WPA)

1941 Veterans' Graves Registration Project. Special Archives Publication Number 36. State Arsenal, St. Augustine.

APPENDIX A

Florida Master Site File Forms

Page 1

□Original ⊠Update



HISTORICAL BRIDGE FORM

FLORIDA MASTER SITE FILE

Version 5.0 3/19

HG01236 **S**ite #8 1-11-2024 Field Date 1-15-2024 Form Date _ Recorder # FDOT Bridge # 910001

Consult Guide to the Historical Bridge Form for detailed instructions FDO1 Bridge #
Bridge Name(s) SR 70 over Kissimmee River Bridge Multiple Listing (DHR only)
Project Name CRAS SR 70/Kissimmee River Bridge Replacement Survey # (DHR only)
Ownership: private-profit private-nonprofit private-individual private-nonspecific city county state federal Native American foreign unknown
LOCATION & MAPPING
Route(s) Carried/Feature(s) Crossed SR 70 / Kissimmee River
USGS 7.5 Map Name OKEECHOBEE NW USGS Date 1952 Plat or Other Map
USGS 7.5 Map Name OKEECHOBEE NW USGS Date 1952 Plat or Other Map
Township Range Section 1/4 section: DNW DSW DSE DNE Irregular-name:
To Donal #
UTM Coordinates: Z one □16 図17 Easting 5 0 1 7 4 1 Northing 3 0 1 2 8 9 9
Other Coordinates: X: Y: Coordinate System & Datum
Name of Public Tract (e.g., park)
HISTORY
Year Built 1966
Still in use? Still in use?
Prior Fords, Ferries, or Bridges at this Location Harding Memorial Bridge (pre-Kissimmee River channelization)
Harding Memorial Bridge (pre-kissimmee kiver Chammelizacion)
Bridge Use: original and current with dates (standard descriptions: auto, railway, pedestrian, fishing pier, abandoned)
Original & Current: carries SR 70 over Kissimmee River (Auto)
Ownership history State Highway Agency
beace mightar figure,
Designers/Engineers
Builders/Contractors
Text of Plaque or Inscription
"BILLY BOWLEGS III BRIDGE / DESIGNATED BY 1969 LEGISLATURE OF FLORIDA" metal upright sign adjacent to NE corner of bridge
Narrative History (How did bridge come to be built? How was it financed?, etc.)
The SR 70 over Kissimmee River bridge was constructed in 1966 to carry SR 70 over the newly channelized Kissimmee River (C-38). A removable span was included in case of larger vessels as
it is considered more cost effective than a manned, operable span.
DESCRIPTION
GENERAL DESCRIPTION
Overall Bridge Design 1. Beam & Girder 2.
Overall Condition ☐excellent ☐good ☑fair ☐deteriorated ☐ruinous
Style and Decorative Details
Concrete post and lintel style parapet, "Kissimmee River" stamp (NE corner), "1966" stamp (SE corner), metal quardrails affixed to wooden posts
collect, , model guardrate allines to model posts
Tender Station Description
Alterations: Dates and Descriptions
None since last recording
DHR USE ONLY OFFICIAL EVALUATION DHR USE ONLY
NR List Date SHPO – Appears to meet criteria for NR listing:
□Owner Objection NR Criteria for Evaluation: □a □b □c □d (see National Register Bulletin 15, p. 2)

DESCRIPTION (continued)
Spans: Total Number 7 Total Length(ft) 418
Main Spans: Number3 Length(ft)40 Width(ft)31 Roadway width(ft)22 Main Span DesignOther Main Span Materials 1Steel 2
Approach Spans: Number 4 Length(ft) 60 Width(ft) 33 Roadway width(ft) 24 Approach Span Design Beam & Girder 2. 2.
Deck Materials 1. Concrete 2. Steel
Abutment Materials 1. Concrete 2. Abutment Description Solid, sloped concrete bag abutments w/ concrete caps Pier Materials 1. Concrete 2. Pier Description Concrete bents w/ two piers w/ footers, concrete cap, & horiz. strut
RESEARCH METHODS (check all that apply) FDOT database search
Bibliographic References (give FMSF manuscript # if relevant, use separate sheet if needed) Publication of Archival Library and Museum Materials (PALMM), accessible online at: http://palmm.fcla.edu/ OPINION OF RESOURCE SIGNIFICANCE
Potentially eligible individually for National Register of Historic Places?
Area(s) of historical significance (See National Register Bulletin 15, p. 8 for categories: e.g. "architecture", "ethnic heritage", "community planning & development", etc.) 1. Engineering 3. 5. 6. 6.
DOCUMENTATION
Accessible Documentation Not Filed with the Site File - including field & analysis notes, photos, plans, other important documents 1) Document type All materials at one location Maintaining organization Archaeological Consultants Inc Document description Files, photos, research, document File or accession #'s P23089
2) Document type Maintaining organization File or accession #'s
RECORDER INFORMATION
Recorder Name Savannah Y. Finch Affiliation Archaeological Consultants Inc
Recorder Contact Information 8110 Blaikie Court, Ste. A / Sarasota, FL/ 34240 /aciflorida@comcast.net (address/phone/fax/e-mail)

Required Attachments

1 USGS 7.5' TOPO MAP WITH BRIDGE LOCATION CLEARLY MARKED

2 PHOTO OF BRIDGE

When submitting an image, it must be included in digital <u>AND</u> hard copy format (plain paper grayscale acceptable). Digital image must be at least 1600 x 1200 pixels, 24-bit color, jpeg or tiff.

8HG01236: The SR 70 over Kissimmee River Bridge (FDOT 910001) is a seven span, concrete beam and girder bridge constructed in 1966 in order to carry SR 70 over the newly channelized Kissimmee River (C-38). The peak of the bridge is equipped with a steel, removable span which accommodates the passing of larger vessels while being more cost effective than a manned, operable span. The bridge is in Section 25 of Township 37 South, Range 33 East and crosses the county line between Okeechobee County and Highlands County (United States Geological Survey [USGS] 1952). The overall dimension of the bridge measures approximately 418-feet (ft) long with four approach spans that are 33-ft wide with a roadway width of approximately 24-ft, and three main spans that are 31-ft wide with a roadway width of approximately 22-ft. The approach spans are a concrete beam and girder style superstructure with a concrete deck that has been paved with asphalt, while the main span is a removable steel span. The substructure has solid, sloped abutments comprised of concrete bags. The superstructure is supported by six bents, each comprised of squared concrete headers with two squared concrete piers and footers with a horizontal strut between the piers. Decorative details include concrete post and lintel style parapets with "KISSIMMEE RIVER" stamped onto the northeast corner and "1966" stamped onto the southeast corner of the parapets. Metal guardrails affixed to wooden posts have been installed along the roadway approaching the bridge. In addition, an upright metal sign has been installed adjacent to the northeast corner of the bridge which reads, "BILLY BOWLEGS III BRIDGE / DESIGNATED BY 1969 LEGISLATURE OF FLORIDA."

Removable span bridges include a span that can be completely removed by machinery that is not included as part of the bridge, such as a crane, or can be hinged in an upright position (FDOT 2012). These types of bridges are beneficial at water crossings where large vessels rarely navigate as they do not require staffing and other operational fees that an operable span would require. The SR 70 over Kissimmee River Bridge (80B00336) was constructed in 1966 to accommodate the newly channelized Kissimmee River (C-38). Prior to the channelization, SR 70 was carried over the naturally occurring Kissimmee River by the ca. 1924 Warren G. Harding Memorial Bridge (Orlando Sentinel 1924). Between 1930 and 1938, the U.S. Army Corps of Engineers (USACE) started construction of the Herbert Hoover Dike after authorization by the River and Harbor Act of 1930 (USACE 1996). The Herbert Hoover Dike represents the largest civil engineering project in South Florida designed to control waters in and around Lake Okeechobee and in turn protecting the surrounding communities and agricultural fields from flooding. Development of the dike is comprised of multiple engineering features that include levees, culverts, hurricane gates, pumping stations, and various other water control structures (New South Associates, Inc. 2010). In 1948, the U.S. Congress authorized the USACE to construct the Central and South Florida Flood Control (C&SF) Project, which led to engineering changes to deepen, straighten, and widen the Kissimmee River waterway. The Kissimmee River was channelized by cutting and dredging a 30-feet deep straightway through the river's meanders (Florida Center for Environmental Studies 2018; Grunwald 2006; McCally 1999; SFWMD n.d.). Between 1966 and 1971, the Kissimmee River became canal 38 (C-38) after it was further widened and deepened and received multiple water control structures (SFWMD 2010.). The C&SF eventually became the South Florida Water Management District (SFWMD).

The SR 70 over Kissimmee River Bridge was first recorded during the 2010 update of *The Historic Highway Bridges of Florida* conducted by Archaeological Consultants, Inc. (ACI) for the Florida Department of Transportation (FDOT) and published in 2012 (FDOT 2012; Survey No. 20057). In addition to Florida Master Site File (FMSF) number 8HG01236, the resource was also assigned a FMSF number for Okeechobee County (8OB00336) due to its location on the Okeechobee-Highlands County line. Following this survey, the resource (8OB00336/8HG01236) was determined eligible for listing in the NRHP by the SHPO in 2014. The SR 70 over Kissimmee River Bridge (8HG01236) has not been significantly altered since this determination and appears to remain eligible for individual listing in the NRHP under Criterion C in the area of Engineering as an example of a removable span bridge.

REFERENCES

Florida Center for Environmental Studies

2018 The Kissimmee River Restoration History. Florida Atlantic University, Boca Raton. http://www.ces.fau.edu/riverwoods/kissimmee.php.

Florida Department of Transportation (FDOT)

2012 The Historic Highway Bridges of Florida – 2010 Update. ACI, Sarasota. Survey No. 20057.

Grunwald, Michael

2006 The Swamp: The Everglades, Florida, and the Politics of Paradise. Simon & Schuster, New York.

McCally, David

1999 The Everglades: An Environmental History. University Press of Florida, Gainesville.

New South Associates, Inc.

2010 Herbert Hoover Dike Documentation and Assessment, Lake Okeechobee, Hendry, Glades, Okeechobee, Martin, and Palm Beach Counties, Florida. New South Associates, Stone Mountain. Survey No. 20620.

The Orlando Sentinel

"Cars Cross Harding Bridge." *The Orlando Sentinel*, December 14, 1924. Accessed January 16, 2024. https://www.newspapers.com.

South Florida Water Management District (SFWMD)

- n.d. Kissimmee River. South Florida Water Management District, West Palm Beach. https://www.sfwmd.gov/our-work/kissimmee-river.
- 2010 Canals in South Florida: A Technical Support Document, Appendices A-C. South Florida Water Management District.

U.S. Army Corps of Engineers (USACE)

1996 Central and Southern Florida Project for Flood Control and Other Purposes, Master Water Control Manual, Lake Okeechobee and Everglades Agricultural Area, Volume 3. US Army Corps of Engineers, Jacksonville District.


United States Geological Survey (USGS)

1952 Okeechobee NW, Fla. Photorevised 1972.





PHOTOGRAPHS





















AERIAL MAP





USGS Okeechobee NW Township 37 South, Range 33 East, Section 25



Page 1



RESOURCE GROUP FORM FLORIDA MASTER SITE FILE

Version 5.0 3/19

Site #8	HG01650
Field Date_	1-11-2024
Form Date	1-31-2024
Recorder#	

Consult the Guide to the Resource Group Form for additional instructions

NOTE: Use this form to document districts, landscapes, building complexes and linear resources as described in the box below. Cultural resources contributing to the Resource Group should also be documented individually at the Site File. Do not use this form for National Register multiple property submissions (MPSs). National Register MPSs are treated as Site File manuscripts and are associated with the individual resources included under the MPS cover using the Site File manuscript number.

Check ONE box that best describes the Resource Group:		
Historic district (NR category "district"): buildings and NR structures only: NO archaeological sites Archaeological district (NR category "district"): archaeological sites only: NO buildings or NR structures Mixed district (NR category "district"): includes more than one type of cultural resource (example: archaeological sites and buildings) Building complex (NR category usually "building(s)"): multiple buildings in close spatial and functional association Designed historic landscape (NR category usually "district" or "site"): can include multiple resources (see National Register Bulletin #18, page 2 for more detailed definition and examples: e.g. parks, golf courses, campuses, resorts, etc.) Rural historic landscape (NR category usually "district" or "site"): can include multiple resources and resources not formally designed (see National Register Bulletin #30, Guidelines for Evaluating and Documenting Rural Historic Landscapes for more detailed definition and examples: e.g. farmsteads, fish camps, lumber camps, traditional ceremonial sites, etc.) Linear resource (NR category usually "structure"): Linear resources are a special type of structure or historic landscape and can include canals, railways, roads, etc.		
Resource Group Name_Kissimmee River (C-38) Multiple Listing [DHR only]		
Project Name CRAS SR 70/Kissimmee River Bridge Replacement FMSF Survey #		
National Register Category (please check one): □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □		
Linear Resource Type (if applicable): ⊠canal □railway □road □other (describe):		
Ownership: private-profit private-nonprofit private-individual private-nonspecific city county state federal Native American foreign unknown		
LOCATION & MAPPING		
Street Number Direction Street Name Street Type Suffix Direction		
Address:		
City/Town (within 3 miles) Okeechobee In Current City Limits? □yes ⊠no □unknown		
County or Counties (do not abbreviate) Highlands		
Name of Public Tract (e.g., park)		
1) Township 37S Range 33E Section 25 1/4 section: DNW DSE DNE Irregular-name:		
2) Township Range Section 1/4 section: DNW DSW DSE DNE		
3) Township Range Section 1/4 section: NW SW SE NE 4) Township Range Section 1/4 section: NW SW SE NE		
USGS 7.5' Map(s) 1) Name OKEECHOBEE NW USGS Date 1952 2) Name USGS Date 2		
Plat, Aerial, or Other Map (map's name, originating office with location)		
Landgrant		
Verbal Description of Boundaries (description does not replace required map)		
A segment approximately 102 ft long and 375 ft wide, flowing beneath the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336)		
River Bridge (61601230/60B00330/		
DHR USE ONLY OFFICIAL EVALUATION DHR USE ONLY		
DHR USE ONLY OFFICIAL EVALUATION DHR USE ONLY NR List Date SHPO – Appears to meet criteria for NR listing:		

RESOURCE GROUP FORM

HISTORY & DESCRIPTION		
Construction Year:1966		
Total number of individual resources included in this Resource Group: # of contributing # of non-contributing # of non-contributing 1 # of non-contributing 1 # of non-contributing 1 # of non-contributing 1 # of non-contributing 2 # of non-contributing # of non-contributing 2 # of non-contributing 2 # of non-contributing # of non-cont		
2 4		
Narrative Description (National Register Bulletin 16A pp. 33-34; attach supplementary sheets if needed)		
See continuation sheet.		
RESEARCH METHODS (check all that apply)		
☑FMSF record search (sites/surveys) ☐Ibrary research ☐ building permits ☐ Sanborn maps ☐ cocupant/owner interview ☐ plat maps ☑ property appraiser / tax records ☐ newspaper files ☐ neighbor interview ☐ ultural resource survey ☐ historic photos ☑ oneighbor interview ☐ unterior inspection ☐ HABS/HAER record search ☑ other methods (specify) ☐ USDA historic aerial photographs (PALMM) Bibliographic References (give FMSF Manuscript # if relevant)		
Publication of Archival Library and Museum Materials (PALMM), accessible online at: http://palmm.fcla.edu/		
OPINION OF RESOURCE SIGNIFICANCE		
Potentially eligible individually for National Register of Historic Places? yes		
Area(s) of Historical Significance (see National Register Bulletin 15, p. 8 for categories: e.g. "architecture", "ethnic heritage", "community planning & development", etc.)		
1		
2 4 0		
DOCUMENTATION		
Accessible Documentation Not Filed with the Site File - including field notes, analysis notes, photos, plans and other important documents Document type All materials at one location Maintaining organization Archaeological Consultants Inc Document description Files, photos, research, document File or accession #'s P23089 Document type Maintaining organization File or accession #'s File		
RECORDER INFORMATION		
Recorder Name Savannah Y. Finch Affiliation Archaeological Consultants Inc Recorder Contact Information (address/phone/fax/e-mail) Affiliation Archaeological Consultants Inc Sarasota, FL/ 34240 /aciflorida@comcast.net		

Required Attachments

- **1** PHOTOCOPY OF USGS 7.5' MAP WITH DISTRICT BOUNDARY CLEARLY MARKED
- 2 LARGE SCALE STREET, PLAT OR PARCEL MAP WITH RESOURCES MAPPED & LABELED
- **3 TABULATION OF ALL INCLUDED RESOURCES -** Include name, FMSF #, contributing? Y/N, resource category, street address or other location information if no address.
- **4** PHOTOS OF GENERAL STREETSCAPE OR VIEWS (Optional: aerial photos, views of typical resources) When submitting images, they must be included in digital AND hard copy format (plain paper grayscale acceptable). Digital images must be at least 1600 x 1200 pixels, 24-bit color, jpeg or tiff.

The segment of the Kissimmee River (C-38 Canal) within the APE was channelized in ca. 1966 and is approximately 102-feet (ft) long and 375 ft wide with shallow earthen banking covered in vegetation. This segment is located in Section 25 of Township 37 South, Range 33 East and flows beneath the ca. 1966 SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) which is equipped with wooden channel markers (USGS 1952). Prior to channelization, the Kissimmee River traveled approximately 103 miles throughout Central Florida; however, today the Kissimmee River (C-38 Canal) spans only 69 miles from Lake Kissimmee in the north to Lake Okeechobee in the south (SFWMD 2010). The boundary of Highlands County and Okeechobee County runs along the center of the Kissimmee River in this location, and as such, the resource has also been assigned a Florida Master Site File (FMSF) number in Okeechobee County (80B00489).

Between 1930 and 1938, the U.S. Army Corps of Engineers (USACE) started construction of the Herbert Hoover Dike after authorization by the River and Harbor Act of 1930 (USACE 1996). The Herbert Hoover Dike represents the largest civil engineering project in South Florida designed to control waters in and around Lake Okeechobee and in turn protecting the surrounding communities and agricultural fields from flooding. Development of the dike is comprised of multiple engineering features that include levees, culverts, hurricane gates, pumping stations, and various other water control structures. The original Lake Okeechobee levee system was divided into divisions starting on the southern shore with Numbers 1, 2, 3, and 9 (approximately 68 miles long) and the northern shore was Division 4 (approximately 15.7 miles long) (New South Associates, Inc. 2010).

In 1948, the U.S. Congress authorized the U.S. Army Corps of Engineers (USACE) to construct the Central and South Florida Flood Control (C&SF) Project. This was prompted following the 1947 hurricane, the worst storm since 1928, to hit the Lake Okeechobee area. Between 1948 and 1971 various projects were formulated and implemented for flood control (Will 1990). The Flood Control Acts of 1948, 1950, 1954, 1958, 1962, and 1968 led to further improvements and modifications to the Lake Okeechobee drainage control system. In the 1960s, the C&SF modified the native Kissimmee-Okeechobee-Everglades system extensively throughout South Florida, including construction of interceptor canals and water control structures to achieve flood control in the Upper and Lower Kissimmee Basin. Between 1962 and 1971, the Kissimmee River was excavated to create the C-38 Canal (C-38) through widening, a deepened channel, and the construction of multiple water control structures (SFWMD 2010.). The C&SF eventually became the South Florida Water Management District (SFWMD).

The channelization of the Kissimmee River did help with flood control but had a devastating effect on the local ecological system. The channelization of the Kissimmee River severely altered the natural environment, resulting in "drainage or obliteration of almost 35,000 acres of floodplain wetlands, elimination of instream and overbank flow, and isolation of the river from its floodplain...[resulting in] changes [to the] physical, chemical, and biological aspects of the ecosystem, reduced diversity, and diminished biotic integrity (SFWMD 2010). The Kissimmee River Restoration Project began in 1999 with the backfilling of eight miles of the C-38 canal. Continuous water flow has been established to 24 miles of the meandering river and seasonal rains and flows now inundate the floodplain in the restored areas (SFWMD n.d.). The plan calls for the return flow to 44 miles of the river's historic channel and restoration of about 40 square miles of river/floodplain ecosystem.

Although the channelization of the Kissimmee River (C-38 Canal) (8HG01650) is significant within the ecological and developmental history of south and central Florida, the majority of the linear resource is located outside of the APE, and a survey of the entire 69-mile-long channelized river is beyond the scope of this project. In addition, the linear resource has not been previously recorded elsewhere in Highlands County. As such, following the guidance of the *Historic Linear Resource Guide* provided by the Florida Division of Historical Resources (FDHR), there is insufficient information to evaluate the 102-ft segment of the linear resource that is contained within the APE (FDHR 2022).

REFERENCES

Florida Division of Historical Resources (FDHR)

2022 Historic Linear Resource Guide – Guidance for addressing historic linear resources associated with projects processed under the Programmatic Agreement. FDHR, Tallahassee.

New South Associates, Inc. (NSA)

2010 Herbert Hoover Dike Documentation and Assessment, Lake Okeechobee, Hendry, Glades, Okeechobee, Martin, and Palm Beach Counties, Florida. New South Associates, Stone Mountain. Survey No. 20620.

South Florida Water Management District (SFWMD)

- n.d. *Kissimmee River*. South Florida Water Management District, West Palm Beach. https://www.sfwmd.gov/our-work/kissimmee-river.
- 2010 Canals in South Florida: A Technical Support Document, Appendices A-C. South Florida Water Management District.

United States Army Corps of Engineers (USACE)

1996 Central and Southern Florida Project for Flood Control and Other Purposes, Master Water Control Manual, Lake Okeechobee and Everglades Agricultural Area, Volume 3. US Army Corps of Engineers, Jacksonville District.

United States Geological Survey (USGS)

1952 Okeechobee NW, Fla. Photorevised 1972.

Will. Lawrence

1990 Okeechobee Hurricane and the Hoover Dike. The Great Outdoors Publishing Co., The Glades Historical Society, Belle Glade. 3rd.



PHOTOGRAPHS












AERIAL MAP





USGS Okeechobee NW Township 37 South, Range 33 East, Section 25



Page 1

□Original ⊠Update



HISTORICAL BRIDGE FORM

FLORIDA MASTER SITE FILE

Version 5.0 3/19

OB00336 **S**ite #8 1-11-2024 Field Date _ Form Date _ 1-15-2024 Recorder #

Consult Guide to the Historical Bridge Form for detailed instructions FDOT Bridge #910001
Bridge Name(s) SR 70 over Kissimmee River Bridge Multiple Listing (DHR only)
Bridge Name(s) SR 70 over Kissimmee River Bridge Project Name CRAS SR 70/Kissimmee River Bridge Replacement Multiple Listing (DHR only) Survey # (DHR only)
Ownership: private-profit private-nonprofit private-individual private-nonspecific city county state federal Native American foreign unknown
LOCATION & MAPPING
Route(s) Carried/Feature(s) Crossed SR 70 / Kissimmee River
USGS 7.5 Map Name OKEECHOBEE NW USGS Date 1952 Plat or Other Map City/Town (within 3 miles) Okeechobee In City Limits? Dyes Dno Sunknown County Okeechobee
City/Town (within 3 miles) Okeechobee In City Limits? Dyes Ono Sunknown County Okeechobee
Township 37S Range 33E Section 25 1/4 section: NW SW SE NE Irregular-name:
Landgrant Tax Parcel #
Landgrant Tax Parcel #
Other Coordinates: X: Y: Coordinate System & Datum
Name of Public Tract (e.g., park)
HISTORY
Year Built 1966 approximately year listed or earlier year listed or later
Still in use? Syes no restricted use (describe) Print Fords Syes Ridge of this Location
Prior Fords, Ferries, or Bridges at this Location Harding Memorial Bridge (pre-Kissimmee River channelization)
Harding Memorial Bridge (pre-kissimmee River Chammelization)
Bridge Use: original and current with dates (standard descriptions: auto, railway, pedestrian, fishing pier, abandoned)
Original & Current: carries SR 70 over Kissimmee River (Auto)
Ownership history State Highway Agency
beate nightar ngener
Designers/Engineers
Builders/Contractors
Text of Plaque or Inscription "BILLY BOWLEGS III BRIDGE / DESIGNATED BY 1969 LEGISLATURE OF FLORIDA" metal upright sign
adjacent to NE corner of bridge
Narrative History (How did bridge come to be built? How was it financed?, etc.)
The SR 70 over Kissimmee River bridge was constructed in 1966 to carry SR 70 over the newly
channelized Kissimmee River (C-38). A removable span was included in case of larger vessels as it is considered more cost effective than a manned, operable span.
DESCRIPTION GENERAL
Overall Bridge Design 1. Beam & Girder 2
Overall Condition
Style and Decorative Details
Concrete post and lintel style parapet, "Kissimmee River" stamp (NE corner), "1966" stamp (SE corner), metal guardrails affixed to wooden posts
To be Object Description
Tender Station Description
Alterations: Dates and Descriptions
None since last recording
DHR USE ONLY OFFICIAL EVALUATION DHR USE ONLY
NR List Date SHPO – Appears to meet criteria for NR listing:
□ Owner Objection NR Criteria for Evaluation: □ a □ b □ c □ d (see National Register Bulletin 15, p. 2)

DESCRIPTION (continued)
Superstructure Spans: Total Number 7 Total Length(ft)418
Main Spans: Number 3 Length(ft) 40 Width(ft) 31 Roadway width(ft) 22 Main Span Design Other 2. 2.
Approach Spans: Number 4 Length(ft) 60 Width(ft) 33 Roadway width(ft) 24 Approach Span Design Beam & Girder Approach Span Materials 1. Concrete 2.
Deck Materials 1Concrete 2Steel
SUBSTRUCTURE Abutment Materials 1. Concrete 2 Abutment Description Solid, sloped concrete bag abutments w/ concrete caps
Pier Materials 1. Concrete 2. Concrete bents w/ two piers w/ footers, concrete cap, & horiz. strut
RESEARCH METHODS (check all that apply)
□FDOT database search □Fla. Archives / photo collection □newspaper files □informal archaeological inspection □rewspaper files □informal archaeological inspection □rewspaper files □informal archaeological survey □rewspaper files □informal archaeological survey □rewspaper files
Bibliographic References (give FMSF manuscript # if relevant, use separate sheet if needed) Publication of Archival Library and Museum Materials (PALMM), accessible online at: http://palmm.fcla.edu/
OPINION OF RESOURCE SIGNIFICANCE
Potentially eligible individually for National Register of Historic Places? Potentially eligible as contributor to a National Register district? I yes I no I insufficient information insufficient information Explanation of Evaluation (required, use separate sheet if needed)
See continuation sheet.
Area(s) of historical significance (See National Register Bulletin 15, p. 8 for categories: e.g. "architecture", "ethnic heritage", "community planning & development", etc.) 1. Engineering 2. 4. 6.
DOCUMENTATION
Accessible Documentation Not Filed with the Site File - including field & analysis notes, photos, plans, other important documents
1) Document type All materials at one location Maintaining organization Archaeological Consultants Inc Document description Files, photos, research, document File or accession #'s P23089
2) Document type Maintaining organization File or accession #'s
RECORDER INFORMATION
Recorder Name Savannah Y. Finch Recorder Contact Information 8110 Blaikie Court, Ste. A / Sarasota, FL/ 34240 /aciflorida@comcast.net
(address / phone / fax / e-mail)

Required Attachments

1 USGS 7.5' TOPO MAP WITH BRIDGE LOCATION CLEARLY MARKED

2 PHOTO OF BRIDGE

When submitting an image, it must be included in digital <u>AND</u> hard copy format (plain paper grayscale acceptable). Digital image must be at least 1600 x 1200 pixels, 24-bit color, jpeg or tiff.

8OB00336: The SR 70 over Kissimmee River Bridge (FDOT 910001) is a seven span, concrete beam and girder bridge constructed in 1966 in order to carry SR 70 over the newly channelized Kissimmee River (C-38). The peak of the bridge is equipped with a steel, removable span which accommodates the passing of larger vessels while being more cost effective than a manned, operable span. The bridge is in Section 25 of Township 37 South, Range 33 East and crosses the county line between Okeechobee County and Highlands County (United States Geological Survey [USGS] 1952). The overall dimension of the bridge measures approximately 418-feet (ft) long with four approach spans that are 33-ft wide with a roadway width of approximately 24-ft, and three main spans that are 31-ft wide with a roadway width of approximately 22-ft. The approach spans are a concrete beam and girder style superstructure with a concrete deck that has been paved with asphalt, while the main span is a removable steel span. The substructure has solid, sloped abutments comprised of concrete bags. The superstructure is supported by six bents, each comprised of squared concrete headers with two squared concrete piers and footers with a horizontal strut between the piers. Decorative details include concrete post and lintel style parapets with "KISSIMMEE RIVER" stamped onto the northeast corner and "1966" stamped onto the southeast corner of the parapets. Metal guardrails affixed to wooden posts have been installed along the roadway approaching the bridge. In addition, an upright metal sign has been installed adjacent to the northeast corner of the bridge which reads, "BILLY BOWLEGS III BRIDGE / DESIGNATED BY 1969 LEGISLATURE OF FLORIDA."

Removable span bridges include a span that can be completely removed by machinery that is not included as part of the bridge, such as a crane, or can be hinged in an upright position (FDOT 2012). These types of bridges are beneficial at water crossings where large vessels rarely navigate as they do not require staffing and other operational fees that an operable span would require. The SR 70 over Kissimmee River Bridge (80B00336) was constructed in 1966 to accommodate the newly channelized Kissimmee River (C-38). Prior to the channelization, SR 70 was carried over the naturally occurring Kissimmee River by the ca. 1924 Warren G. Harding Memorial Bridge (Orlando Sentinel 1924). Between 1930 and 1938, the U.S. Army Corps of Engineers (USACE) started construction of the Herbert Hoover Dike after authorization by the River and Harbor Act of 1930 (USACE 1996). The Herbert Hoover Dike represents the largest civil engineering project in South Florida designed to control waters in and around Lake Okeechobee and in turn protecting the surrounding communities and agricultural fields from flooding. Development of the dike is comprised of multiple engineering features that include levees, culverts, hurricane gates, pumping stations, and various other water control structures (New South Associates, Inc. 2010). In 1948, the U.S. Congress authorized the USACE to construct the Central and South Florida Flood Control (C&SF) Project, which led to engineering changes to deepen, straighten, and widen the Kissimmee River waterway. The Kissimmee River was channelized by cutting and dredging a 30-feet deep straightway through the river's meanders (Florida Center for Environmental Studies 2018; Grunwald 2006; McCally 1999; SFWMD n.d.). Between 1962 and 1971, the Kissimmee River became canal 38 (C-38) after it was further widened and deepened and received multiple water control structures (SFWMD 2010.). The C&SF eventually became the South Florida Water Management District (SFWMD).

The SR 70 over Kissimmee River Bridge was first recorded during the 2010 update of *The Historic Highway Bridges of Florida* conducted by Archaeological Consultants, Inc. (ACI) for the Florida Department of Transportation (FDOT) and published in 2012 (FDOT 2012; Survey No. 20057). In addition to Florida Master Site File (FMSF) number 80B00336, the resource was also assigned a FMSF number for Highlands County (8HG01236) due to its location on the Okeechobee-Highlands County line. Following this survey, the resource (8OB00336/8HG01236) was determined eligible for listing in the NRHP by the SHPO in 2014. The SR 70 over Kissimmee River Bridge (8OB00336) has not been significantly altered since this determination and appears to remain eligible for individual listing in the NRHP under Criterion C in the area of Engineering as an example of a removable span bridge.

REFERENCES

Florida Center for Environmental Studies

2018 The Kissimmee River Restoration History. Florida Atlantic University, Boca Raton. http://www.ces.fau.edu/riverwoods/kissimmee.php.

Florida Department of Transportation (FDOT)

2012 The Historic Highway Bridges of Florida – 2010 Update. ACI, Sarasota. Survey No. 20057.

Grunwald, Michael

2006 The Swamp: The Everglades, Florida, and the Politics of Paradise. Simon & Schuster, New York.

McCally, David

1999 The Everglades: An Environmental History. University Press of Florida, Gainesville.

New South Associates, Inc.

2010 Herbert Hoover Dike Documentation and Assessment, Lake Okeechobee, Hendry, Glades, Okeechobee, Martin, and Palm Beach Counties, Florida. New South Associates, Stone Mountain. Survey No. 20620.

The Orlando Sentinel

"Cars Cross Harding Bridge." *The Orlando Sentinel*, December 14, 1924. Accessed January 16, 2024. https://www.newspapers.com.

South Florida Water Management District (SFWMD)

- n.d. Kissimmee River. South Florida Water Management District, West Palm Beach. https://www.sfwmd.gov/our-work/kissimmee-river.
- 2010 Canals in South Florida: A Technical Support Document, Appendices A-C. South Florida Water Management District.

U.S. Army Corps of Engineers (USACE)

1996 Central and Southern Florida Project for Flood Control and Other Purposes, Master Water Control Manual, Lake Okeechobee and Everglades Agricultural Area, Volume 3. US Army Corps of Engineers, Jacksonville District.

United States Geological Survey (USGS)

1952 Okeechobee NW, Fla. Photorevised 1972.



PHOTOGRAPHS





















AERIAL MAP







USGS Okeechobee NW Township 37 South, Range 33 East, Section 25



Page 1



RESOURCE GROUP FORM FLORIDA MASTER SITE FILE

Version 5.0 3/19

Site #8(OB00489
Field Date_	1-11-2024
Form Date	1-31-2024
Recorder#	

Consult the Guide to the Resource Group Form for additional instructions

NOTE: Use this form to document districts, landscapes, building complexes and linear resources as described in the box below. Cultural resources contributing to the Resource Group should also be documented individually at the Site File. Do not use this form for National Register multiple property submissions (MPSs). National Register MPSs are treated as Site File manuscripts and are associated with the individual resources included under the MPS cover using the Site File manuscript number.

Check ONE box that best describes the Resource Group:		
Historic district (NR category "district"): buildings and NR structures only: NO archaeological sites Archaeological district (NR category "district"): archaeological sites only: NO buildings or NR structures Mixed district (NR category "district"): includes more than one type of cultural resource (example: archaeological sites and buildings) Building complex (NR category usually "building(s)"): multiple buildings in close spatial and functional association Designed historic landscape (NR category usually "district" or "site"): can include multiple resources (see National Register Bulletin #18, page 2 for more detailed definition and examples: e.g. parks, golf courses, campuses, resorts, etc.) Rural historic landscape (NR category usually "district" or "site"): can include multiple resources and resources not formally designed (see National Register Bulletin #30, Guidelines for Evaluating and Documenting Rural Historic Landscapes for more detailed definition and examples: e.g. farmsteads, fish camps, lumber camps, traditional ceremonial sites, etc.) Linear resource (NR category usually "structure"): Linear resources are a special type of structure or historic landscape and can include canals, railways, roads, etc.		
Resource Group Name Kissimmee River (C-38) Project Name CRAS SR 70/Kissimmee River Bridge Replacement National Register Category (please check one): Duilding(s) Structure district site object Linear Resource Type (if applicable): Scanal district of control of c		
Ownership: private-nonprofit private-individual private-nonspecific city county State federal Native American foreign unknown		
LOCATION & MAPPING		
Street Number Direction Street Name Street Type Suffix Direction		
Address: Steet Type St		
1) Township 37S		
Plat, Aerial, or Other Map (map's name, originating office with location) Landgrant Verbal Description of Boundaries (description does not replace required map)		
A segment approximately 102 ft long and 375 ft wide, flowing beneath the SR 70 over Kissimmee River Bridge (8HG01236/8OB00336)		
DUD LICE ONLY OFFICIAL EVALUATION DUD LICE ONLY		
DHR USE ONLY OFFICIAL EVALUATION DHR USE ONLY		
NR List Date SHPO – Appears to meet criteria for NR listing:		
□ Owner Objection NR Criteria for Evaluation: □a □b □c □d (see National Register Bulletin 15, p. 2)		

HISTORY & DESCRIPTION		
Construction Year:1966 _		
Total number of individual resources included in this Resource Group: # of contributing # of non-contributing 0 Time period(s) of significance (choose a period from the list or type in date range(s), e.g. 1895-1925) 1Modern (Post 1950) 3		
2 4		
Narrative Description (National Register Bulletin 16A pp. 33-34; attach supplementary sheets if needed)		
See continuation sheet.		
RESEARCH METHODS (check all that apply)		
☑FMSF record search (sites/surveys) ☐Ibrary research ☐building permits ☐Sanborn maps ☐PL State Archives/photo collection ☐city directory ☐occupant/owner interview ☐plat maps ☐Public Lands Survey (DEP) ☐cultural resource survey ☐historic photos ☐interior inspection ☐HABS/HAER record search ☑other methods (specify) ☐USDA historic aerial photographs ☐PALMM Bibliographic References (give FMSF Manuscript # if relevant)		
Publication of Archival Library and Museum Materials (PALMM), accessible online at: http://palmm.fcla.edu/		
OPINION OF RESOURCE SIGNIFICANCE		
Potentially eligible individually for National Register of Historic Places? yes no insufficient information Potentially eligible as contributor to a National Register district? yes no insufficient information Explanation of Evaluation (required, see National Register Bulletin 16A p. 48-49. Attach longer statement, if needed, on separate sheet.)		
See continuation sheet.		
Area(s) of Historical Significance (see National Register Bulletin 15, p. 8 for categories: e.g. "architecture", "ethnic heritage", "community planning & development", etc.)		
1 3 5 2 4 6		
Z		
DOCUMENTATION		
Accessible Documentation Not Filed with the Site File - including field notes, analysis notes, photos, plans and other important documents Document type All materials at one location Maintaining organization Archaeological Consultants Inc		
Document type Maintaining organization		
2) Document description File or accession #'s		
RECORDER INFORMATION		
Recorder Name Savannah Y. Finch Affiliation Archaeological Consultants Inc Recorder Contact Information 8110 Blaikie Court, Ste. A / Sarasota, FL/ 34240 /aciflorida@comcast.net (address/phone/fax/e-mail)		

Required Attachments

- **1** PHOTOCOPY OF USGS 7.5' MAP WITH DISTRICT BOUNDARY CLEARLY MARKED
- 2 LARGE SCALE STREET, PLAT OR PARCEL MAP WITH RESOURCES MAPPED & LABELED
- **3 TABULATION OF ALL INCLUDED RESOURCES -** Include name, FMSF #, contributing? Y/N, resource category, street address or other location information if no address.
- **4** PHOTOS OF GENERAL STREETSCAPE OR VIEWS (Optional: aerial photos, views of typical resources) When submitting images, they must be included in digital AND hard copy format (plain paper grayscale acceptable). Digital images must be at least 1600 x 1200 pixels, 24-bit color, jpeg or tiff.

The segment of the Kissimmee River (C-38 Canal) within the APE was channelized in ca. 1966 and is approximately 102-feet (ft) long and 375 ft wide with shallow earthen banking covered in vegetation. This segment is located in Section 25 of Township 37 South, Range 33 East and flows beneath the ca. 1966 SR 70 over Kissimmee River Bridge (8HG01236/8OB00336) which is equipped with wooden channel markers (USGS 1952). Prior to channelization, the Kissimmee River traveled approximately 103 miles throughout Central Florida; however, today the Kissimmee River (C-38 Canal) spans only 69 miles from Lake Kissimmee in the north to Lake Okeechobee in the south (SFWMD 2010). The boundary of Highlands County and Okeechobee County runs along the center of the Kissimmee River in this location, and as such, the resource has also been assigned a Florida Master Site File (FMSF) number in Highlands County (8HG01650).

Between 1930 and 1938, the U.S. Army Corps of Engineers (USACE) started construction of the Herbert Hoover Dike after authorization by the River and Harbor Act of 1930 (USACE 1996). The Herbert Hoover Dike represents the largest civil engineering project in South Florida designed to control waters in and around Lake Okeechobee and in turn protecting the surrounding communities and agricultural fields from flooding. Development of the dike is comprised of multiple engineering features that include levees, culverts, hurricane gates, pumping stations, and various other water control structures. The original Lake Okeechobee levee system was divided into divisions starting on the southern shore with Numbers 1, 2, 3, and 9 (approximately 68 miles long) and the northern shore was Division 4 (approximately 15.7 miles long) (New South Associates, Inc. 2010).

In 1948, the U.S. Congress authorized the U.S. Army Corps of Engineers (USACE) to construct the Central and South Florida Flood Control (C&SF) Project. This was prompted following the 1947 hurricane, the worst storm since 1928, to hit the Lake Okeechobee area. Between 1948 and 1971 various projects were formulated and implemented for flood control (Will 1990). The Flood Control Acts of 1948, 1950, 1954, 1958, 1962, and 1968 led to further improvements and modifications to the Lake Okeechobee drainage control system. In the 1960s, the C&SF modified the native Kissimmee-Okeechobee-Everglades system extensively throughout South Florida, including construction of interceptor canals and water control structures to achieve flood control in the Upper and Lower Kissimmee Basin. Between 1962 and 1971, the Kissimmee River was excavated to create the C-38 Canal (C-38) through widening, a deepened channel, and the construction of multiple water control structures (SFWMD 2010.). The C&SF eventually became the South Florida Water Management District (SFWMD).

The channelization of the Kissimmee River did help with flood control but had a devastating effect on the local ecological system. The channelization of the Kissimmee River severely altered the natural environment, resulting in "drainage or obliteration of almost 35,000 acres of floodplain wetlands, elimination of instream and overbank flow, and isolation of the river from its floodplain...[resulting in] changes [to the] physical, chemical, and biological aspects of the ecosystem, reduced diversity, and diminished biotic integrity (SFWMD 2010). The Kissimmee River Restoration Project began in 1999 with the backfilling of eight miles of the C-38 canal. Continuous water flow has been established to 24 miles of the meandering river and seasonal rains and flows now inundate the floodplain in the restored areas (SFWMD n.d.). The plan calls for the return flow to 44 miles of the river's historic channel and restoration of about 40 square miles of river/floodplain ecosystem.

Although the channelization of the Kissimmee River (C-38 Canal) (8OB00489) is significant within the ecological and developmental history of south and central Florida, the majority of the linear resource is located outside of the APE, and a survey of the entire 69-mile-long channelized river is beyond the scope of this project. In addition, the linear resource has not been previously recorded elsewhere in Okeechobee County. As such, following the guidance of the *Historic Linear Resource Guide* provided by the Florida Division of Historical Resources (FDHR), there is insufficient information to evaluate the 102-ft segment of the linear resource that is contained within the APE (FDHR 2022).

REFERENCES

Florida Division of Historical Resources (FDHR)

2022 Historic Linear Resource Guide – Guidance for addressing historic linear resources associated with projects processed under the Programmatic Agreement. FDHR, Tallahassee.

New South Associates, Inc. (NSA)

2010 Herbert Hoover Dike Documentation and Assessment, Lake Okeechobee, Hendry, Glades, Okeechobee, Martin, and Palm Beach Counties, Florida. New South Associates, Stone Mountain. Survey No. 20620.

South Florida Water Management District (SFWMD)

- n.d. *Kissimmee River*. South Florida Water Management District, West Palm Beach. https://www.sfwmd.gov/our-work/kissimmee-river.
- 2010 Canals in South Florida: A Technical Support Document, Appendices A-C. South Florida Water Management District.

United States Army Corps of Engineers (USACE)

1996 Central and Southern Florida Project for Flood Control and Other Purposes, Master Water Control Manual, Lake Okeechobee and Everglades Agricultural Area, Volume 3. US Army Corps of Engineers, Jacksonville District.

United States Geological Survey (USGS)

1952 Okeechobee NW, Fla. Photorevised 1972.

Will. Lawrence

1990 Okeechobee Hurricane and the Hoover Dike. The Great Outdoors Publishing Co., The Glades Historical Society, Belle Glade. 3rd.



PHOTOGRAPHS












AERIAL MAP





USGS Okeechobee NW Township 37 South, Range 33 East, Section 25



APPENDIX B Survey Log

Ent D (FMSF only)	
	9

Survey Log Sheet

Survey # (FMSF only)

Florida Master Site File Version 5.0 3/19


Consult Guide to the Survey Log Sheet for detailed instructions.

	Manuscript Information
Survey Project (name and project phase)	
	70 over Kissimmee River Bridge(8HG01236/80B00336), Highlands
Report Title (exactly as on title page)	
	E Study State Road (SR) 70 from County Road (CR) 721 South Reechobee Counties, Florida, SR 70 over Kissimmee River
Report Authors (as on title page) 1. ACI	3
	4
Publication Year <u>2024</u> Number of Page	
123009, ACI FIOIIda, Salasoca	
Supervisors of Fieldwork (even if same as author) Name	as Almy, Marion
Affiliation of Fieldworkers: Organization Archaeological	Consultants Inc City Sarasota
K ey Words/Phrases (Don't use county name, or common w	
1. State Road 70 3. CR 599	5. Kissimmee River 7
	6 8
Survey Sponsors (corporation, government unit, organization Name Address/Phone/E-mail 801 N Broadway Avenue	Organization Florida Dept of Transportation - District 1
Recorder of Log Sheet Savannah Y. Finch	
	project? No Yes: Previous survey #s (FMSF only)
, . ,	Project Area Mapping
	, , , , , , , , , , , , , , , , , , , ,
USGS 1:24,000 Map Names/Year of Latest Revision	n (attach additional sheet if necessary)
1. Name OKEECHOBEE NW Ye	ear 1952 4. NameYear
2. Name Ye	ear 5. Name Year
3. Name Ye	ear 6. Name Year
Field D	ates and Project Area Description
Fieldwork Dates: Start <u>1-11-2024</u> End <u>1-11</u> Number of Distinct Tracts or Areas Surveyed	
If Corridor (fill in one for each) Width:met	

Page 2 Survey Log Sheet Survey #____

	Resear	ch and Field Met	hods			
Types of Survey (select all that apply):	archaeological	⊠architectural	⊠historical/arch	nival 🗆]underwater	
	damage assessment	☐monitoring report	other(describe)):		
Scope/Intensity/Procedures						
Preliminary Methods (select as man	v as apply to the project as a v	whole)				
☐Florida Archives (Gray Building)	□library research- <i>local public</i>	⊠local prope	•	⊠ other historia	•	
	□library-special collection ⊠newspaper files ⊠soils maps or data □other remote s ☑Public Lands Survey (maps at DEP) ☑literature search ☑windshield survey			•		
,	☑local informant(s)		Sanborn Insurance maps ⊠aerial photography			
other (describe):						
Archaeological Mathada (aslast as		hala\				
Archaeological Methods (select as many as apply to the project as a whole) ⊠Check here if NO archaeological methods were used.						
surface collection, controlled	shovel test-other screen siz	e 🔲 b	ock excavation (at least	t 2x2 m)	metal detector	
surface collection, <u>un</u> controlled	water screen	– , ,		other remote sensing		
□shovel test-1/4"screen □shovel test-1/8" screen	□posthole tests □auger tests		☐magnetometer ☐pedestrian survey ☐side scan sonar ☐unknown			
□shovel test 1/16"screen	coring	□ state scall solial □ unknown □ unknown □ ground penetrating radar (GPR)				
shovel test-unscreened	☐test excavation (at least 1x	2 m) 🔲 L	□LIDAR			
other (describe):						
Historical/Architectural Methods (select as many as apply to the project as a whole)						
Check here if NO historical/architectu						
□ building permits	demolition permits		neighbor interview		Subdivision maps ∴	
□ commercial permits □ interior documentation			⊠tax records □unknown			
other (describe):	Miocai property records	ш°	cupation permits		diikilowii	
Survey Results						
D 0' 'f' 5 1 4 10		Survey nesurts				
Resource Significance Evaluated?		Count of N	oudy Dogordod Do	00118000		
Count of Previously Recorded Resources 2 Count of Newly Recorded Resources 2 List Previously Recorded Site ID#s with Site File Forms Completed (ettach additional name if presently)						
List Previously Recorded Site ID#s with Site File Forms Completed (attach additional pages if necessary) HG01236, OB00336						
List Newly Recorded Site ID#s (at	tach additional pages if neces:	sarv)				
HG01650, OB00489	1 0					
Site Forms Used: ☐Site File F	Paper Forms Site Fil	le PDF Forms				
REQUIRED: Attach Map of Survey or Project Area Boundary						
SHPO USE ONLY		HPO USE ONLY			SHPO USE ONLY	

SHPO USE ONLY	SHPO USE ONLY	SHPO USE ONLY				
Origin of Report: □872 □Public Lands □UW	□1A32 # □	Academic Contract Avocational				
Grant Project # Compliance Review: CRAT #						
Type of Document: 🔲 Archaeological Survey 🗀 Historical/Architectural Survey 🗀 Marine Survey 🗀 Cell Tower CRAS 🗀 Monitoring Report						
□Overview □Excavation Report □Multi-Site Excavation Report □Structure Detailed Report □Library, Hist. or Archival Doc						
☐Desktop Analysis ☐MPS	MRA □TG □Other:					
Document Destination: Plottable Projects Plotability:						



Cultural Resource Assessment Survey

Township 37 South, Range 33 East, Section 25 USGS Okeechobee NW 1952 Okeechobee and Highlands Counties, Florida

PD&E Study SR 70 from CR 721 South to CR 599/128th Avenue, Highlands and Okeechobee Counties, Florida, SR 70 over Kissimmee River Bridge FPID No: 450334-1-22-01